

## 製品概要

### MMSZ52: ツェナー・ダイオード500 mW SOD-123

技術情報は、データシートをご参照ください。

ツェナー・ダイオードの3シリーズはすべて、便利な表面実装プラスチックSOD-123パッケージで提供されます。リードレス34パッケージ・スタイルの便利な代替となります。

### 特長

- 500 mW Rating on FR-4 or FR-5 Board
- Wide Zener Reverse Voltage Range - 2.4 V to 110 V
- Package Designed for Optimal Automated Board Assembly
- Small Package Size for High Density Applications
- General Purpose, Medium Current
- ESD Rating of Class 3 (exceeding 16 kV) per the Human Body Model Mechanical Characteristics:
- CASE: Void-free, transfer-molded, thermosetting plastic case
- FINISH: Corrosion resistant finish, easily solderable
- MAXIMUM CASE TEMPERATURE FOR SOLDERING PURPOSES: 260°C for 10 Seconds
- POLARITY: Cathode indicated by polarity band

For more features, see the data sheet



製品	Pricing (\$/Unit)	Compliance	Status	V <sub>Z</sub> Typ (V)	P Max (W)	Package Type
MMSZ5221BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	2.4	0.5	SOD-123
MMSZ5222BT1G	0.0259	Pb-free Halide free non AEC-Q and PPAP	Active	2.5	0.5	SOD-123
MMSZ5223BT1G	0.0259	Pb-free Halide free non AEC-Q and PPAP	Active	2.7	0.5	SOD-123
MMSZ5225BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	3	0.5	SOD-123
MMSZ5226BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	3.3	0.5	SOD-123
MMSZ5226CT1G	0.0245	Pb-free Halide free non AEC-Q and PPAP	Active	3.3	0.5	SOD-123
MMSZ5227BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	3.6	0.5	SOD-123
MMSZ5228BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	3.9	0.5	SOD-123
MMSZ5229BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	4.3	0.5	SOD-123
MMSZ5230BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	4.7	0.5	SOD-123
MMSZ5231BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	5.1	0.5	SOD-123
MMSZ5231BT3G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	5.1	0.5	SOD-123

MMSZ5231CT1G	0.0784	Pb-free Halide free non AEC-Q and PPAP	Active	5.1	0.5	SOD-123
MMSZ5232BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	5.6	0.5	SOD-123
MMSZ5232CT1G	0.0784	Pb-free Halide free non AEC-Q and PPAP	Active	5.6	0.5	SOD-123
MMSZ5233BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	6	0.5	SOD-123
MMSZ5234BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	6.2	0.5	SOD-123
MMSZ5235BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	6.8	0.5	SOD-123
MMSZ5235BT3G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	6.8	0.5	SOD-123
MMSZ5236BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	7.5	0.5	SOD-123
MMSZ5237BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	8.2	0.5	SOD-123
MMSZ5238BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	8.7	0.5	SOD-123
MMSZ5239BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	9.1	0.5	SOD-123
MMSZ5240BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	10	0.5	SOD-123
MMSZ5240BT3G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	10	0.5	SOD-123

MMSZ5241BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	11	0.5	SOD-123
MMSZ5242BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	12	0.5	SOD-123
MMSZ5242BT3G	0.0255	Pb-free Halide free non AEC-Q and PPAP	Active	12	0.5	SOD-123
MMSZ5243BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	13	0.5	SOD-123
MMSZ5244BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	14	0.5	SOD-123
MMSZ5245BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	15	0.5	SOD-123
MMSZ5245CT1G	0.0784	Pb-free Halide free non AEC-Q and PPAP	Active	15	0.5	SOD-123
MMSZ5246BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	16	0.5	SOD-123
MMSZ5247BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	17	0.5	SOD-123
MMSZ5247BT3G	0.0313	Pb-free Halide free non AEC-Q and PPAP	Active	17	0.5	SOD-123
MMSZ5248BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	18	0.5	SOD-123
MMSZ5248BT3G	0.0313	Pb-free Halide free non AEC-Q and PPAP	Active	18	0.5	SOD-123
MMSZ5248CT1G	0.0784	Pb-free Halide free non AEC-Q and PPAP	Active	18	0.5	SOD-123

MMSZ5249BT1G	0.0284	Pb-free Halide free non AEC-Q and PPAP	Active	19	0.5	SOD-123
MMSZ5250BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	20	0.5	SOD-123
MMSZ5250CT1G	0.0784	Pb-free Halide free non AEC-Q and PPAP	Active	20	0.5	SOD-123
MMSZ5251BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	22	0.5	SOD-123
MMSZ5252BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	24	0.5	SOD-123
MMSZ5253BT1G	0.0259	Pb-free Halide free non AEC-Q and PPAP	Active	25	0.5	SOD-123
MMSZ5254BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	27	0.5	SOD-123
MMSZ5255BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	28	0.5	SOD-123
MMSZ5256BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	30	0.5	SOD-123
MMSZ5257BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	33	0.5	SOD-123
MMSZ5258BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	36	0.5	SOD-123
MMSZ5258BT3G	0.0247	Pb-free Halide free non AEC-Q and PPAP	Active	36	0.5	SOD-123
MMSZ5258CT1G	0.0784	Pb-free Halide free non AEC-Q and PPAP	Active	36	0.5	SOD-123

MMSZ5259BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	39	0.5	SOD-123
MMSZ5260BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	43	0.5	SOD-123
MMSZ5261BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	47	0.5	SOD-123
MMSZ5262BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	51	0.5	SOD-123
MMSZ5263BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	56	0.5	SOD-123
MMSZ5264BT1G	0.0259	Pb-free Halide free non AEC-Q and PPAP	Active	60	0.5	SOD-123
MMSZ5265BT1G	0.0259	Pb-free Halide free non AEC-Q and PPAP	Active	62	0.5	SOD-123
MMSZ5266BT1G	0.0247	Pb-free Halide free non AEC-Q and PPAP	Active	68	0.5	SOD-123
MMSZ5266BT3G		Pb-free non AEC-Q and PPAP	ProductPreview	68	0.5	SOD-123
MMSZ5267BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	75	0.5	SOD-123
MMSZ5268BT1G	0.0259	Pb-free Halide free non AEC-Q and PPAP	Active	82	0.5	SOD-123
MMSZ5270BT1G	0.0297	Pb-free Halide free non AEC-Q and PPAP	Active	91	0.5	SOD-123
MMSZ5272BT1G	0.0247	Pb-free Halide free non AEC-Q and PPAP	Active	110	0.5	SOD-123

MMSZ5272BT3G	0.0247	Pb-free Halide free non AEC-Q and PPAP	Active	110	0.5	SOD-123
SZMMSZ5223BT1G	0.0308	AEC Qualified PPAP Capable Pb-free Halide free	Active	2.7	0.5	SOD-123

詳細は、弊社 [www.onsemi.jp](http://www.onsemi.jp) の営業または販売代理店にお問い合わせください。

9/19/2021 作成