0 C	Converget 2005 IPC Rannockburn Illinois All rights reserved under both					This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
	IPC Web Site for Information on IPC-1752 Standard Form Typhttp://www.ipc.org/IPC-175x Distribute				Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mfg Information				
Supplier Information	n														
Company name*			Company unique ID			τ	Unique ID Authority					Response Date*			
onsemi												2024-05-03			
Contact Name	Title - Contact			I	Phone - Contact*					Email - Contact*					
Product-Env-Stewards	Product Enviro Compliance			1	NA					Product-Env-Stewards@onsemi.com					
Authorized Representative*			Title - Representative			I	Phone - Representative*				Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance			]	NA				Product-Env-Stewards@onsemi.com				
Requester Item	Number	Mfr Item	n Number Mfr Item Name				Effective Da	ite V	Version Manufa		ing Site	Weight*		UOM	Unit Type
		1N5407					2024-05-03					1:	334.62	mg	Each
Manufacturing Proc	cess Information	l													
Terminal Plating	Terminal Plating / Grid Array Material		Terminal Base Alloy J-ST		J-STD-020 MSL	Rating	Peak Process Body Temperatur		ure Max Ti	Max Time at Peak Temperatur		re Numb	er of Reflow Cyc	eles	
			CU Alloy				C		30		seconds 3				
Comments															
or more information reg	arding material com	position p	lease refer to	page 3						·					

RoHS Material Composition Declaration			Declaration Type *	Detailed						
RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and cornel to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies of Supplier's Standard Terms and/Conditions of Sale applicable to such part shall apply.										
RoHS Declaration * 4 - Item(s	) does not contain RoHS restricted substance	s per the definition above except for selected exemp	tions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required f Requester) and click on Submit Form to ha		Accepted" on the Supplier Acceptance drop-dow	n. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	astislav Drska	-En								

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

<b>Homogeneous Material</b>	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	6.67	mg	Supplier	Silicon (Si)	7440-21-3		6.67	mg
Die Attach Solder	46.69	mg	Supplier	Silver (Ag)	7440-22-4		1.1673	mg
			A	Lead (Pb)	7439-92-1	7a	43.1882	mg
			Supplier	Tin (Sn)	7440-31-5		2.3345	mg
Lead Frame	731.48	mg	Supplier	Copper (Cu)	7440-50-8		731.48	mg
Mold Compound-Black	543.33	mg		Metal Hydroxide	proprietary data		27.1665	mg
			Supplier	Carbon Black (C)	1333-86-4		5.4333	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		407.4975	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		54.333	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		48.8997	mg
Plating	6.45	mg	Supplier	Tin (Sn)	7440-31-5		6.45	mg