	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowe level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					Materials	als and Mfg Information				
Supplier	Information														
Company name* Company uniqu				que ID U			Unique ID Authority					Response Date*			
onsemi												2024-05-10			
Contact N	ame	Title - Contact]	Phone - Contact*					Email - Contact*				
Product-E	Env-Stewards	Product Enviro Compliance				NA]	Product-Env-Stewards@onsemi.com				
uthorized	d Representative*	Title - Representative]	Phone - Representative*				E	Email - Representative*				
Product-E	Env-Stewards	Product Enviro Compliance				NA				1	Product-Env-Stewards@onsemi.com				
			Number Mfr Item Name				Effective Date	e Vers	ion	Manufacturing Site		Weig	ght*	UOM	Unit Type
			8PW 1MB TR DIP		2024-05-10 LIT		LITEONFG		590.	7813	mg	Each			
/Ianufa	cturing Proccess Information	tion							1						
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-0		J-STD-020 MSI	L Rating	Peak Proc	cess Bod	ess Body Temperature Max Time at Peak		at Peak Te	Temperature Number		r of Reflow Cyc	les
	Matte Tin (Sn) - annealed		CU Alloy NA			0 C		С	30 s		seconds	3			
omments															
or more i	information regarding material	composition	please refer to	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material Weight		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Coupling Gel	211.509	mg	Supplier	Ethylbenzene	100-41-4	•	21.1509	mg
			Supplier	Filler (SiO2)	68909-20-6		84.6036	mg
			Supplier	Xylene	1330-20-7		105.7545	mg
Die	0.873334	mg	В	Gallium Arsenide (AsGa)	1303-00-0		0.0068	mg
			Supplier	Silicon (Si)	7440-21-3		0.8665	mg
Die Attach	0.25	mg	Supplier	Silver (Ag)	7440-22-4		0.2	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.0275	mg
			Supplier	Dicyandiamine	461-58-5		0.005	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0175	mg
Lead Frame	114.99	mg	Supplier	Silver (Ag)	7440-22-4		7.2398	mg
			Supplier	Zinc (Zn)	7440-66-6		0.1294	mg
			Supplier	Iron (Fe)	7439-89-6		2.5145	mg
			Supplier	Copper (Cu)	7440-50-8		105.0223	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0839	mg
Mold Compound-Black	251.509	mg	Supplier	Titanium Dioxide (TiO2)	13463-67-7		50.3018	mg
			Supplier	2,6-dibromo-4-[1-(3-bromo-4- hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		6.2877	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		31.4386	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		8.8028	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		125.7545	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		28.9235	mg
Plating	11.6	mg	Supplier	Tin (Sn)	7440-31-5		11.6	mg
Wire Bond - Au	0.05	mg	Supplier	Gold (Au)	7440-57-5		0.05	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).