© Copyright	Composition De 2005. IPC, Bannock and Pan-American c	burn, Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declarat he declaration o	ion of the su	ibstances s all lower	within the manufactu level materials for w	rer listed it which the m	em. Note: i anufacture	f the item is an as r has engineering	sembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
upplier Information														
Company name* Com			Company unique ID			Unique ID Authority				Response Date*				
onsemi										2024-05-	2024-05-17			
Contact Name Title - Con			- Contact			Phone - Contact*				Email - Contact*				
Product-Env-Stewards Product 1			duct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative			presentative			Phone - Representative*			Email - Representative*					
Product-Env-Stewards Produ			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	quester Item Number Mfr Item Nu		Number Mfr Item Name			Effective Date	e Version Manufacturing Site		1	Weight*	UOM	Unit Type		
	74ACT(ACT04SCX FACT STD HEX I		INVERTER		2024-05-17		Р	PH1		53.57	mg	Each	
Anufacturing Proccess In	formation													
Terminal Plating / Grid A	Terminal Plating / Grid Array Material Terminal Base A		Alloy	J-STD-020 MS	Peak Process Body Temperature Max Time at Peak			Temperature Number of Reflow Cycles						
Matte Tin (Sn) - annealed CU		CU Alloy	lloy 1			260 C		С	30 seco		seconds 3			
omments														
vel 1 - maximum time at peak ter	mperature during so	dering is 10-3	0 seconds											
or more information regarding n	naterial composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.222	mg	Supplier	Silicon (Si)	7440-21-3		0.222	mg
Die Attach	0.09	mg		Epoxy resin	proprietary data		0.009	mg
			Supplier	Silver (Ag)	7440-22-4		0.072	mg
			Supplier	Formaldehyde Polymer	9003-36-5		0.009	mg
Lead Frame	68.01	mg	Supplier	Zinc (Zn)	7440-66-6		0.0816	mg
			Supplier	Iron (Fe)	7439-89-6		1.5982	mg
			Supplier	Copper (Cu)	7440-50-8		66.3098	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0204	mg
Lead Frame plating	0.7	mg	Supplier	Silver (Ag)	7440-22-4		0.7	mg
Mold Compound-Black	81.971	mg		Epoxy resin	proprietary data		4.0986	mg
			Supplier	Phenolic Resin	Proprietary Data		1.6394	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		2.0493	mg
			Supplier	Carbon Black (C)	1333-86-4		0.4099	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		73.7739	mg
Plating	2.514	mg	Supplier	Tin (Sn)	7440-31-5		2.514	mg
Wire Bond - Au	0.063	mg	Supplier	Gold (Au)	7440-57-5		0.063	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).