ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® MALECTRONICS INDUSTRIES®	PC. Bannockb	ourn. Illinois. A	All rights reserved un ntions.	nder both	This docume level parts, t	ent is a declaration he declaration en	n of the substat compasses all l	nces within the manufactu ower level materials for v	urer listed which the	item. Note: if manufacturer	the item is an as has engineering	sembly with low responsibility.	
				Form Type Distribute					rials and N	als and Mfg Information			
upplier Information													
Company name* Con			Company unique ID			Unique ID Authority				Response Date*			
onsemi										2024-05-04			
Contact Name Title - Contact			ct	Phone - Contact*				Email - Contact*					
Product-Env-Stewards Product Envi			Enviro Compliance		NA			Produ	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Represen			sentative		Phone - Representative*			Email	Email - Representative*				
Product-Env-Stewards Pr			Product Enviro Compliance			NA			Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number	umber Mfr Item Numb		Number Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	AMIS-49	AMIS-49250-XTP AMIS-49250 FIELI		LDBUS MAU 1	Г	2024-05-04	PHG			157.11	mg	Each	
Ianufacturing Proccess Informa	tion												
Terminal Plating / Grid Array Material Terminal Base Alloy		Alloy J	-STD-020 MSL	Rating	Peak Proces	s Body Tempe	erature Max Time at Peal	k Tempera	ature Numb	er of Reflow Cyc	cles		
Matte Tin (Sn) - annealed CU Alloy 3					260	С	30	seco	onds 3				
omments													
TTENTION: MSL 3 Rated item require	es Bake and D	ry Pack (after	r electrical test)										
or more information regarding material	composition	please refer to	o page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3

sigma range of distribution unless	otherwise noted).							
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	13.42	mg	Supplier	Silicon (Si)	7440-21-3		13.42	mg
Die Attach	4.09	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.818	mg
			Supplier	Silver (Ag)	7440-22-4		3.272	mg
Lead Frame	88.15	mg	Supplier	Zinc (Zn)	7440-66-6		0.0882	mg
			Supplier	Iron (Fe)	7439-89-6		2.0275	mg
			Supplier	Copper (Cu)	7440-50-8		85.9463	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0882	mg
Mold Compound-Black	46.55	mg		Epoxy Phenol Resin	proprietary data		7.448	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		39.102	mg
Plating	3.44	mg	Supplier	Tin (Sn)	7440-31-5		3.44	mg
Wire Bond - Au	1.46	mg	Supplier	Gold (Au)	7440-57-5		1.46	mg