	© Copyright 2005. IPC, international and Pan-Art	Bannockb	urn, Illinois. A	ll rights reserved u ntions.	nder both	This docum level parts,	ent is a declarat the declaration e	ion of the su	ubstances s all lower	within the manufactur level materials for w	rer listed i hich the r	tem. Note: i nanufacturer	f the item is an as has engineering	ssembly with lower responsibility.
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information				
Supplier Inf	formation													
Company name	e*	Company unique ID				Unique ID Authority				Response Date*				
onsemi										2024-05-18				
Contact Name		Title - Contact				Phone - Contact*				Email - Contact*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Authorized Rep	presentative*	Title - Representative				Phone - Representative*				Email - Representative*				
Product-Env-S	Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Req	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Date	fective Date Version Manufacturing Site		Anufacturing Site		Weight*	UOM	Unit Type
		ATP208-'	ATP208-TL-H NCH 4.5V DRIVE S		E SERIES		2024-05-18	-18 CNG		NG		264.03	mg	Each
Manufactur	ing Proccess Information	1												
Term	Terminal Plating / Grid Array Material Te			erminal Base Alloy J-STD-020 MSL			Peak Process Body Temperature Max Time at Pea			Temperature Number of Reflow Cycles				
contains Bi CU A			U Alloy	lloy 1			260 C 30			seconds 3				
Comments														
evel 1 - maxim	um time at peak temperature d	luring sol	dering is 10-3	0 seconds										
for more inform	mation regarding material com	position p	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, admium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part iontains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall incompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, is of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the ROHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, itsuppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the vertification in this paragraph. If the Company and the Supplier into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of hat agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provide											
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature	astislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	3.91	mg	Supplier	Silicon (Si)	7440-21-3		3.91	mg
Die Attach	4.21	mg	Supplier	Silver (Ag)	7440-22-4		0.1053	mg
			А	Lead (Pb)	7439-92-1	7a	3.9995	mg
			Supplier	Tin (Sn)	7440-31-5		0.1053	mg
Lead Frame	148.07	mg	Supplier	Tin (Sn)	7440-31-5		0.2221	mg
			Supplier	Copper (Cu)	7440-50-8		147.8479	mg
Mold Compound-Black	104.54	mg		Epoxy Phenol Resin	proprietary data		0.8363	mg
			Supplier	Carbon Black (C)	1333-86-4		1.0454	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		6.2724	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		83.632	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		12.5448	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		0.2091	mg
Plating	3.3	mg	В	Bismuth (Bi)	7440-69-9		0.0198	mg
			Supplier	Tin (Sn)	7440-31-5		3.2802	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).