ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® International and P	IPC, Bannockl	burn, Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declara he declaration	tion of the encompass	substances es all low	within the m er level mater	nanufacture ials for wh	er listed iten hich the mar	n. Note: i iufacture	if the item is an as r has engineering	sembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Ty http://www.ipc.org/IPC-175x Distribut				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information				
Supplier Information															
Company name* C			Company unique ID			Unique ID Authority					Response Date*				
onsemi											2024-05-16				
Contact Name Title - Con			- Contact			Phone - Contact*				Email - Contact*					
Product-Env-Stewards Product			roduct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - R			e - Representative			Phone - Representative*				Email - Representative*					
Product-Env-Stewards Produ			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Requester Item Number	Requester Item Number Mfr Item I		Number Mfr Item Name			Effective Da	e Versior	ı	Manufacturing Site		We	ight*	UOM	Unit Type	
	FAN535	FAN53555BUC24X DC/DC D		/DC DVS Buck 5.0A		2024-05-16			TW6		3.9	8711	mg	Each	
Ianufacturing Proccess Inform	ation														
Terminal Plating / Grid Array Material Terminal Base			Alloy	J-STD-020 MSL Rating			Peak Process Body Temperature Max Time at Peak 7					Temperature Number of Reflow Cycles			
SnAgCu CU Alloy				1		260		С	30		seconds	3			
omments															
vel 1 - maximum time at peak tempera	ture during so	ldering is 10-3	0 seconds												
or more information regarding materia	al composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material Weight Unit of Measure		Level	Substance	CAS	Exempt	Weight	Unit of Measure			
Backside Protection Film	0.119707	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0251	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.0022	mg		
			Supplier	Silica (SiO2)	14464-46-1		0.0674	mg		
			Supplier	2,4,6-Tris[Bis(Methoxymethyl)Amino]- 1,3,5-Triazine	3089-11-0		0.0251	mg		
Die	2.64616	mg	Supplier	Silicon (Si)	7440-21-3		2.6284	mg		
			Supplier	Aluminum (Al)	7429-90-5		0.0178	mg		
Solder Ball	1.21677	mg	Supplier	Silver (Ag)	7440-22-4		0.0687	mg		
			Supplier	Tin (Sn)	7440-31-5		1.1407	mg		
			Supplier	Copper (Cu)	7440-50-8		0.0073	mg		
Under Bump Metal	0.004473	mg	Supplier	Titanium (Ti)	7440-32-6		0	mg		
			В	Nickel (Ni)	7440-02-0		0.0039	mg		
			Supplier	Gold (Au)	7440-57-5		0.0005	mg		
			Supplier	Copper (Cu)	7440-50-8		0	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).