ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES® International and Pa	IPC, Bannock	burn, Illinois. A	.ll rights reserved u ntions.	nder both	This docume level parts, t	ent is a declar the declaration	ration of n encom	the substance passes all low	es within t ver level n	he manufactu naterials for v	rer listed it which the m	em. Not anufactu	te: if the iter urer has eng	m is an ass gineering r	embly with low esponsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					ials and Mi	als and Mfg Information				
Supplier Information																
Company name*	Company unique ID			Unique ID Authority					Respons	Response Date*						
nsemi											2024-05-17					
Contact Name Title			Title - Contact			Phone - Contact*					Email -	Email - Contact*				
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com						
uthorized Representative*	Title - Representative			Phone - Representative*				Email - Representative*								
Product-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com							
Requester Item Number	Number Mfr Iter		tem Number Mfr Item Name				Effective Date Ve		sion Manufacturing Si		Weight*		UC	OM	Unit Type	
	FSA305	SA3051TMX SPDT A		DT Analog Switch		2024-05-17			TH6		1	1.12434		g	Each	
Aanufacturing Proccess Informa	ation						•								-	
Terminal Plating / Grid Array M	Iaterial	Terminal Base	Alloy J	J-STD-020 MSL		Peak Process		Body Temperature Max Time at Pea		Time at Peal	Temperature Numbe		umber of Re	eflow Cycl	es	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		l		260		С	30		second	is 3				
Comments																
vel 1 - maximum time at peak temperat	ure during so	dering is 10-3	0 seconds													
or more information regarding materia	l composition	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.03	mg	Supplier	Silicon (Si)	7440-21-3		0.03	mg
Die Attach	0.0139	mg	Supplier	Phenolic Resin-2	54208-63-8		0.002	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0029	mg
			Supplier	2,4,6-Tris[Bis(Methoxymethyl)Amino]- 1,3,5-Triazine	3089-11-0		0.002	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		0.007	mg
Lead Frame	0.1753	mg	Supplier	Manganese (Mn)	7439-96-5		0.0003	mg
			Supplier	Silicon (Si)	7440-21-3		0.001	mg
			Supplier	Copper (Cu)	7440-50-8		0.174	mg
Mold Compound-Black	0.881	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.052	mg
			Supplier	Carbon Black (C)	1333-86-4		0.002	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		0.776	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.051	mg
Plating	0.00814	mg	Supplier	Palladium (Pd)	7440-05-3		0.0001	mg
			В	Nickel (Ni)	7440-02-0		0.008	mg
			Supplier	Gold (Au)	7440-57-5		0.0001	mg
Wire Bond - Au	0.016	mg	Supplier	Gold (Au)	7440-57-5		0.016	mg