	CONNECTING Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information				
Supplier 1	Information														
Company name* Company un				unique ID I			Unique ID Authority					Response Date*			
onsemi												2024-05-04			
Contact Na	me	Title - Contact			Phone - Contact*					Email - Contact*					
Product-Er	v-Stewards	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com						
Authorized	Representative*	Title - Representative			Phone - Representative*				Email - Representative*						
Product-Env-Stewards			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
]	Requester Item Number	Number Mfr Item Name				Effective Date Version Manufacturin		Ianufacturing Site	Weight*		UOM	Unit Type			
	LB11696V-TLM-			3PH PRE SENSOR OPEN ; Three phase pre- driver with hall sensor method (open loop speed control)			2024-05-0)4		PI	РНМ		200.0	mg	Each
Manufact	uring Proccess Information	ı													
Т	Terminal Plating / Grid Array Material Te			erminal Base Alloy J-STD-020 MSL			Peak Process Body Temperature Max Ti		e Max Time at Peak	ak Temperature Number of Reflow Cycles		eles			
contains Bi CU Alloy					3		260		С		30	secon	nds 3		
Comments															
ATTENTIC	N: MSL 3 Rated item requires Ba	ke and D	ry Pack (after	electrical test)											
For more in	formation regarding material com	position p	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chror	HS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead b), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl thalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	5.09	mg	Supplier	Silicon (Si)	7440-21-3		5.0523	mg
			Supplier	Polyimide	Proprietary Data		0.0377	mg
Die Attach	1.04	mg	Supplier	Silver (Ag)	7440-22-4		0.7076	mg
			Supplier	Epoxy resins	129915-35-1		0.3008	mg
			Supplier	Other Metal Oxide	Proprietary Data		0.0227	mg
			В	Antimony Pentoxide (Sb2O5)	1314-60-9		0.0089	mg
lead Frame	59.75	mg	Supplier	Zinc (Zn)	7440-66-6		0.0777	mg
			Supplier	Iron (Fe)	7439-89-6		1.4041	mg
			Supplier	Copper (Cu)	7440-50-8		58.2204	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0478	mg
Iold Compound-Black	131.28	mg		Epoxy resin	proprietary data		13.128	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		9.846	mg
			Supplier	Carbon Black (C)	1333-86-4		0.6564	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		107.6496	mg
Plating	2.13	mg	В	Bismuth (Bi)	7440-69-9		0.0128	mg
			Supplier	Tin (Sn)	7440-31-5		2.1172	mg
Wire Bond - Au	0.71	mg	Supplier	Gold (Au)	7440-57-5		0.71	mg