onsemi Contact Name Title - Contact Phone - Contact* Email - Contact* Product-Env-Stewards Product-Env-Stewards NA Product-Env-Stewards@onsemi.c Authorized Representative* Title - Representative Phone - Representative* Email - Representative*	CIATION CONNECTING STRONICS INDUSTRIES	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
Company name* Company unique ID Unique ID Authority Response Date* 2024-05-07 Contact Name Contact Name Contact Enviro Compliance Product Enviro Compliance Unique ID Authority Response Date* 2024-05-07 Contact Name Contact* Phone - Contact* Product-Env-Stewards Order-Env-Stewards Order-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards Order-Env-Stewards Order-En	21.1					*					and Mfg Informatio	on			
Insemi In	plier Informa	ation													
Title - Contact* Product-Env-Stewards Product Enviro Compliance Phone - Representative* Product-Env-Stewards Product-Env-Stewards Product Enviro Compliance Phone - Representative* Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product Enviro Compliance Phone - Representative* Product-Env-Stewards Product-En	Company name*			Company unique ID			I	Unique ID Authority				Response Date*			
Product-Env-Stewards uthorized Representative* Title - Representative Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards Product-Env-Stewards Product-Env-Stewards Product Enviro Compliance NA Product-Env-Stewards@onsemi.c NA Product-Env-Stewards@onsemi.c NA Product-Env-Stewards@onsemi.c NA Product-Env-Stewards@onsemi.c NA Product-Env-Stewards@onsemi.c NA Nanufacturing Site Weight* UOM NA	mi										2024-05-07				
tuthorized Representative* Product Enviro Compliance Requester Item Number Mfr Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM LP2950ACZ-3.0G ANA 100MA 3V LDO VREG 2024-05-07 CNF 198.01 mg Manufacturing Proccess Information Terminal Plating / Grid Array Material Terminal Base Alloy Matte Tin (Sn) - annealed CU Alloy NA Phone - Representative* NA Product-Env-Stewards@onsemi.ce Weight* UOM 2024-05-07 CNF Max Time at Peak Temperature Number of Reflow Cy Na O C 30 Seconds 3	act Name		Title - Contact]	Phone - Contact*				Email - Contact*				
Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight* UOM LP2950ACZ-3.0G ANA 100MA 3V LDO VREG 2024-05-07 CNF 198.01 mg Manufacturing Process Information Terminal Plating / Grid Array Material Terminal Base Alloy Matte Tin (Sn) - annealed CU Alloy NA Product-Env-Stewards@onsemi.co Manufacturing Site Weight* UOM Product-Env-Stewards@onsemi.co Manufacturing Site Weight* UOM Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cy Na O C 30 Seconds 3	duct-Env-Stewar	rds	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	Authorized Representative*				Title - Representative			Phone - Representative*			Er	Email - Representative*			
LP2950ACZ-3.0G ANA 100MA 3V LDO VREG 2024-05-07 CNF 198.01 mg Internation Content of the co	Product-Env-Stewards Product Enviro Complian			iro Compliance	NA NA			Pı			Product-Env-Stewards@onsemi.com				
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cy	Requester	r Item Number	Mfr Item	Number	er Mfr Item Name			Effective Date	Version	Manufacturing	nufacturing Site		UOM	Unit Type	
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cy Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3			LP2950A	ACZ-3.0G	ANA 100MA 3V	LDO VREG		2024-05-07		CNF		198.01	mg	Each	
Matte Tin (Sn) - annealed CU Alloy NA 0 C 30 seconds 3						(GTTD . 020 MG)	I. D. di	D 1 D	D 1 T)	. D. 1 T.	. \	CD C		
Figure 1m (bh) dimented CC 1mb) 1/12 C	8					L Rating	<u> </u>								
omments		1 (Sn) - annealed	C	CU Alloy		NA			<u> [C</u>	30		seconds 3			
	ments														
or more information regarding material composition please refer to page 3			•,•	1 0 .											

RoHS Material Composition Declaration			Declaration Type *	Detail	ed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct at it in member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of					
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted					
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per t	he definition above except for defined Rol	IS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the					

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	3.2	mg	Supplier	Silicon (Si)	7440-21-3		3.2	mg
Die Attach	5.15	mg	Supplier	Silver (Ag)	7440-22-4		4.3775	mg
			Supplier	Phenolic Resin	Proprietary Data		0.7725	mg
Lead Frame	80.67	mg	Supplier	Silver (Ag)	7440-22-4		0.0081	mg
			Supplier	Iron (Fe)	7439-89-6		0.0807	mg
			Supplier	Copper (Cu)	7440-50-8		80.5571	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0242	mg
Mold Compound-Black	106.15	mg		Phenol Resin	proprietary data		10.615	mg
			Supplier	Carbon Black (C)	1333-86-4		1.0615	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		81.7355	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		12.738	mg
Plating	2.74	mg	Supplier	Tin (Sn)	7440-31-5		2.74	mg
Wire Bond - Au	0.1	mg	Supplier	Gold (Au)	7440-57-5		0.1	mg