ABSOCIATION CONNECTING LECTRONICS INDUSTRIES® INTERNAL OF A CONNECTING INDUSTRIES® International and Pan-Amer	nnockburn, Illinois. A	All rights reserved u entions.	nder both	This docume level parts, t	ent is a declaration e	ion of the su encompasses	bstances v all lower	vithin the manufactur level materials for wl	er listed it hich the m	em. Note: if anufacturer	the item is an as has engineering	sembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute			*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				als and Mfg Information				
Supplier Information													
Company name* Company unique ID				Unique ID Authority					Response Date*				
nsemi									2024-05-21				
Contact Name	Name Title - Contact				Phone - Contact*				Email - Contact*				
roduct-Env-Stewards Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Representative				Phone - Representative*				Email - Representative*					
Product-Env-Stewards Product Enviro Compliance			NA			Р			Product	Product-Env-Stewards@onsemi.com			
Requester Item Number M	fr Item Number	Mfr Item Name			Effective Date	Version	М	lanufacturing Site	V	Veight*	UOM	Unit Type	
М	MC100EP56MNG BBG ECL MLTIPL		PLXR DIFF		2024-05-21	MY1		4	2.75	mg	Each		
Manufacturing Proccess Information													
Terminal Plating / Grid Array Material	al Terminal Base Alloy J-S		J-STD-020 MSL	Rating	Peak Process Body Tempera		mperature	ture Max Time at Peak Tem		ire Numb	er of Reflow Cyc	les	
Matte Tin (Sn) - annealed CU Alloy 1		1		260		С	30	second	ls 3				
Comments													
evel 1 - maximum time at peak temperature dur	ing soldering is 10-3	30 seconds											
For more information regarding material compo	sition please refer t	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl bhthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Aaterial Weight Unit of Measure Level Substance		Substance	CAS	Exempt	Weight	Unit of Measure		
Die	1.9	mg	Supplier	Silicon (Si)	7440-21-3		1.9	mg	
Die Attach	0.58	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.116	mg	
			Supplier	Silver (Ag)	7440-22-4		0.464	mg	
Lead Frame	16.1	mg	Supplier	Silver (Ag)	7440-22-4		0.322	mg	
			Supplier	Iron (Fe)	7439-89-6		0.3542	mg	
			Supplier	Copper (Cu)	7440-50-8		15.4238	mg	
Mold Compound-Black	22.31	mg		Epoxy Phenol Resin	proprietary data		2.0079	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		20.3021	mg	
Plating	1.58	mg	Supplier	Tin (Sn)	7440-31-5		1.58	mg	
Wire Bond - Au	0.28	mg	Supplier	Gold (Au)	7440-57-5		0.28	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted)