ABBOGIATION CONNECTING ELECTRONICE INDUSTRIES® International and Par	PC. Bannock	burn. Illinois. A	ll rights reserved untions.	under both	This docum level parts, t	ent is a declara	tion of the s encompasse	ubstances es all lowe	within the r level mate	manufacture erials for wh	er listed ite hich the ma	m. Note: nufacture	if the item is an as er has engineering	ssembly with low responsibility.
	-21.1 IPC Web Site for Information on IPC-1752 Standard Form T http://www.ipc.org/IPC-175x Distrib				*	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information			
Supplier Information														
Company name* Co			Company unique ID			Unique ID Authority					Response Date*			
onsemi											2024-05-16			
Contact Name	tact Name Title - Contact					Phone - Contact*					Email - Contact*			
Product-Env-Stewards Product Enviro			iro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Repre			esentative			Phone - Representative*				Email - Representative*				
Product-Env-Stewards	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com						
Requester Item Number	Mfr Item Number		Mfr Item Name			Effective Dat	e Version	I	Manufacturing Site		W	eight*	UOM	Unit Type
	MC74A G	MC74ACT245DWR2 LOG CMOS BUS		S INTRFCE OC	TL	2024-05-16 PH1		PH1		51	7.71	mg	Each	
Aanufacturing Proccess Information	tion													
Terminal Plating / Grid Array Ma	terial	al Terminal Base Alloy		J-STD-020 MSI	L Rating	Peak Pro	Process Body Temperature Max Time at Peak		ne at Peak T	Temperature Number of Reflow Cycl		cles		
Matte Tin (Sn) - annealed CU Alloy			3		260		С	30		seconds	3			
omments														
TTENTION: MSL 3 Rated item require	s Bake and I	Dry Pack (after	electrical test)											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	ouler wise noted).		_					
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	9.33	mg	Supplier	Silicon (Si)	7440-21-3		9.33	mg
Die Attach	20.68	mg		Epoxy resin	proprietary data		2.068	mg
			Supplier	Silver (Ag)	7440-22-4		16.544	mg
			Supplier	Formaldehyde Polymer	9003-36-5		2.068	mg
Lead Frame	323.98	mg	Supplier	Silver (Ag)	7440-22-4		3.2398	mg
			Supplier	Zinc (Zn)	7440-66-6		0.648	mg
			Supplier	Iron (Fe)	7439-89-6		8.4235	mg
			Supplier	Copper (Cu)	7440-50-8		311.6688	mg
Mold Compound-Black	158.46	mg		Epoxy resin	proprietary data		7.923	mg
			Supplier	Phenolic Resin	Proprietary Data		3.1692	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		3.9615	mg
			Supplier	Carbon Black (C)	1333-86-4		0.7923	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		142.614	mg
Plating	4.79	mg	Supplier	Tin (Sn)	7440-31-5		4.79	mg
Wire Bond - Au	0.47	mg	Supplier	Gold (Au)	7440-57-5		0.47	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).