ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INCLUSTRIES	IPC, Bannock	burn, Illinois. A	ll rights reserved ur ntions.	nder both	This docume level parts, t	ent is a declar the declaratio	ation of the s	substances es all lowe	within the ma r level materia	anufacturer als for whic	listed item the man	. Note: if t ifacturer h	the item is an as has engineering	sembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ   http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information				
Supplier Information															
Company name*	Company uni	Company unique ID			Unique ID Authority					Response Date*					
onsemi											2024-05-10				
Contact Name Tit			Title - Contact			Phone - Contact*				E	Email - Contact*				
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				1	Product-Env-Stewards@onsemi.com					
Authorized Representative* Ti			Title - Representative			Phone - Representative*				E	Email - Representative*				
Product-Env-Stewards		Product Envi	Product Enviro Compliance			NA				1	Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Iter	n Number	Mfr Item Name			Effective Da	te Version Manufacturing Site		g Site	Wei	ght*	UOM	Unit Type		
	MC74L G	CX245MNTW	LV CMOS OCTAL TRANSCEIVER		VER	2024-05-10			ТНВ		29.4	-2	mg	Each	
Manufacturing Proccess Informa	tion					•		·			·				
Terminal Plating / Grid Array M	aterial	Terminal Base Alloy		-STD-020 MS	L Rating	Peak Pr	Peak Process Body Temperate		ure Max Time at Peak Temp		mperature	perature Number of Reflow Cycles		les	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy	U Alloy 1			260		C	<b>30</b>		seconds 3				
Comments															
evel 1 - maximum time at peak temperat	ure during so	oldering is 10-3	0 seconds												
or more information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.59	mg	Supplier	Silicon (Si)	7440-21-3		0.59	mg
Die Attach	0.05	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.0325	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.0175	mg
Lead Frame	10.85	mg	Supplier	Silver (Ag)	7440-22-4		0.1085	mg
			Supplier	Tin (Sn)	7440-31-5		0.0271	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0239	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0271	mg
			Supplier	Copper (Cu)	7440-50-8		10.6634	mg
Mold Compound-Black	17.23	mg	Supplier	Epoxy and Phenolic Resin	40216-08-8		1.3784	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0861	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.3446	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		14.9039	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.5169	mg
Plating	0.51	mg	Supplier	Tin (Sn)	7440-31-5		0.51	mg
Wire Bond - Au	0.19	mg	Supplier	Gold (Au)	7440-57-5		0.19	mg