| <b>PC</b><br>SECULATION CONNECTING<br>COPyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both<br>international and Pan-American copyright conventions. |                 |                            |                           | This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility. |        |                         |  |         |                    |          |                                 |      |           |  |
|---|-----------------|----------------------------|---------------------------|---|--------|-------------------------|--|---------|--------------------|----------|---------------------------------|------|-----------|--|
| 52.21.1 IPC Web Site for Information on IPC-1752 Standard Form  |                 |                            | Form Type<br>Distribute   | * Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg II  |        |                         |  |         | Ifg Inform         | ation    |                                 |      |           |  |
| Supplier Information  |                 |                            |                           |   |        |                         |  |         |                    |          |                                 |      |           |  |
| Company name* Compan  |                 |                            | npany unique ID           |   |        | Unique ID Authority     |  |         |                    | Respon   | Response Date*                  |      |           |  |
| onsemi  |                 |                            |                           |   |        |                         |  |         |                    | 2024-0   | 2024-05-11                      |      |           |  |
| ontact Name Title - Contact   |                 |                            |                           | Phone - Contact*  |        |                         |  | Email · | Email - Contact*   |          |                                 |      |           |  |
| Product-Env-Stewards Product Envir  |                 |                            | viro Compliance           |   |        | NA                      |  |         |                    | Produ    | Product-Env-Stewards@onsemi.com |      |           |  |
| Authorized Representative* Title - Repres   |                 |                            | sentative                 |   |        | Phone - Representative* |  |         |                    | Email ·  | Email - Representative*         |      |           |  |
| Product-Env-Stewards Produ  |                 |                            | Product Enviro Compliance |   |        | NA                      |  |         |                    | Produ    | Product-Env-Stewards@onsemi.com |      |           |  |
| Requester Item Number   | Mfr Item Number |                            | ber Mfr Item Name         |   |        | Effective Date          | Version                                  | Μ       | Ianufacturing Site |          | Weight*                         | UOM  | Unit Type |  |
|   | MM3Z3           | MM3Z30VST1G SOD-323 COPPER |                           | ER PB FREE  |        | 2024-05-11 CN           |  | CN1     |                    | 4.51     | mg                              | Each |           |  |
| Ianufacturing Proccess Informa  | ntion           |                            |                           |   |        |                         |  | ·       |                    |          |                                 |      |           |  |
| Terminal Plating / Grid Array M   | laterial 7      | al Terminal Base Alloy     |                           | J-STD-020 MSI   | Rating | Peak Proc               | rocess Body Temperature Max Time at Peak |         | k Tempera          | ture Nun | nber of Reflow Cyc              | eles |           |  |
| Matte Tin (Sn) - annealed CU Alloy  |                 |                            | 1                         |   | 260    |                         | С  | 30      | seco               | nds 3    |                                 |      |           |  |
| omments   |                 |                            |                           |   |        |                         |  |         |                    |          |                                 |      |           |  |
| vel 1 - maximum time at peak temperat   | ure during so   | ldering is 10-3            | 0 seconds                 |   |        |                         |  |         |                    |          |                                 |      |           |  |
| or more information regarding materia   | l composition   | please refer to            | page 3                    |   |        |                         |  |         |                    |          |                                 |      |           |  |

| RoHS Material Composition Declaration  |  |  |   | Declaration Type *                              | Detailed  |  |  |  |  |  |  |
|--|--|--|---|---|---|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIBP). |  |   |   |   |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>y others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the   | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and cc<br>for issues that arise regarding inform | ce of its products with European Union membe    | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa  | on above   | Supplier Acceptance   | * Accepted                                      |   |  |  |  |  |  |  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per   | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i   | n the RoHS Declaration above and choose all   |  |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU   |  |   |   |   |  |  |  |  |  |  |
| Declaration Signature  |  |  |   |   |   |  |  |  |  |  |  |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester  | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital | lly sign the declaration (if required by the  |  |  |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska  | Le   |   |   |   |  |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| sigma range of distribution unless otherwise noted). |        |                 |          |  |             |        |        |                 |  |  |
|--|--------|-----------------|----------|--|-------------|--------|--------|-----------------|--|--|
| Homogeneous Material                                 | Weight | Unit of Measure | Level    | Substance  | CAS         | Exempt | Weight | Unit of Measure |  |  |
| Die  | 0.49   | mg              | Supplier | Silicon (Si)   | 7440-21-3   |        | 0.49   | mg              |  |  |
| Lead Frame   | 0.86   | mg              | В        | Nickel (Ni)  | 7440-02-0   |        | 0.3122 | mg              |  |  |
|  |        |                 | Supplier | Iron (Fe)  | 7439-89-6   |        | 0.4317 | mg              |  |  |
|  |        |                 | Supplier | Copper (Cu)  | 7440-50-8   |        | 0.1161 | mg              |  |  |
| Mold Compound-Black                                  | 3.02   | mg              | Supplier | Boron zinc hydroxide oxide                             | 138265-88-0 |        | 0.0906 | mg              |  |  |
|  |        |                 | Supplier | Zinc Monoxide (ZnO)                                    | 1314-13-2   |        | 0.0151 | mg              |  |  |
|  |        |                 | Supplier | 2,4,6-triamino-s-triazincompd.withs-<br>triazine-triol | 37640-57-6  |        | 0.0906 | mg              |  |  |
|  |        |                 | Supplier | Silica Amorphous (SiO2)                                | 7631-86-9   |        | 2.416  | mg              |  |  |
|  |        |                 | Supplier | Carbon Black (C)                                       | 1333-86-4   |        | 0.0302 | mg              |  |  |
|  |        |                 | Supplier | Ortho-Cresol Novolac Resin                             | 29690-82-2  |        | 0.2416 | mg              |  |  |
|  |        |                 | Supplier | Phenolic Resin (Novolac)                               | 9003-35-4   |        | 0.1359 | mg              |  |  |
| Plating  | 0.13   | mg              | Supplier | Tin (Sn)   | 7440-31-5   |        | 0.13   | mg              |  |  |
| Wire Bond - Cu                                       | 0.01   | mg              | Supplier | Copper (Cu)  | 7440-50-8   |        | 0.01   | mg              |  |  |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).