© Copyright 200	mposition De 05. IPC, Bannockl I Pan-American co	burn, Illinois. A	All rights reserved untions.	under both	This docum level parts, t	ent is a declar the declaration	ation of the encompass	substances ses all lowe	within the man er level material	ufacturer lis s for which	sted item. Note: the manufacture	if the item is an a r has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form T http://www.ipc.org/IPC-175x Distrib				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					Materials a	ials and Mfg Information			
Supplier Information														
Company name*	Company un	Company unique ID			Unique ID Authority				Re	Response Date*				
onsemi										202	2024-05-16			
Contact Name Title			Title - Contact			Phone - Contact*				En	Email - Contact*			
Product-Env-Stewards Pro			Product Enviro Compliance			NA				Pr	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title -			Title - Representative			Phone - Representative*				En	Email - Representative*			
Product-Env-Stewards Produ			Product Enviro Compliance			NA				Pr	Product-Env-Stewards@onsemi.com			
Requester Item Number	Requester Item Number Mfr Iten		m Number Mfr Item Name			Effective Date Version Manufacturing S		Site	Weight*	UOM	Unit Type			
	MOC30	MOC3073SR2VM 6PW F		PW RP TRIAC T&R VDE		2024-05-16			LITEONFG		458.02	mg	Each	
Aanufacturing Proccess Infor	mation													
Terminal Plating / Grid Array	Terminal Plating / Grid Array Material Terminal Base		Alloy	J-STD-020 MSL Rating		Peak Process Body Temperature		re Max Time a	t Peak Tem	perature Num	per of Reflow Cy	cles		
Matte Tin (Sn) - annealed CU Alloy		CU Alloy		1		260		С	30	5	seconds 3			
omments														
vel 1 - maximum time at peak tempe	rature during so	ldering is 10-3	0 seconds											
or more information regarding mate	rial composition	please refer to	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Coupling Gel	168.9	mg	Supplier	Dimethyl Cyclosiloxanes	69430-24-6		16.89	mg
			Supplier	Trimethoxy(methyl)silane (C4H12O3Si)	1185-55-3		152.01	mg
Die	5.13	mg	Supplier	Silicon (Si)	7440-21-3		5.13	mg
Die Attach	0.24	mg	Supplier	Silver (Ag)	7440-22-4		0.18	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.06	mg
Lead Frame	62.28	mg	Supplier	Silver (Ag)	7440-22-4		0.4422	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0747	mg
			Supplier	Iron (Fe)	7439-89-6		1.4636	mg
			Supplier	Copper (Cu)	7440-50-8		60.2808	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0187	mg
Mold Compound-White	220.75	mg	Supplier	Titanium Dioxide (TiO2)	13463-67-7		55.1875	mg
			В	Brominated Bisphenol A Diglycidyl Ether	40039-93-8		6.6225	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		29.8013	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		6.6225	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		110.375	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		12.1412	mg
Plating	0.36	mg	Supplier	Tin (Sn)	7440-31-5		0.36	mg
Wire Bond - Au	0.36	mg	Supplier	Gold (Au)	7440-57-5		0.36	mg