IPC ISEOCIATION CONVECTING COPYright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.					This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
	IPC Web Site for Information on IPC 1752 Standard Form 7				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				ials and N	als and Mfg Information				
Supplier Information														
Company name* Con			Company unique ID			Unique ID Authority					Response Date*			
onsemi	emi									2024-05-21				
Contact Name	act Name Title - Contact					Phone - Contact*				Email - Contact*				
Product-Env-Stewards Product Enviro Compliance			ro Compliance	NA					Produ		roduct-Env-Stewards@onsemi.com			
Authorized Representative* Title - Representative			entative		Phone - Repres	e - Representative*			Email -	Email - Representative*				
Product-Env-Stewards	Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		Mfr Item Name			Effective Date	Version	N	Manufacturing Site		Weight*	UOM	Unit Type	
	NCH-RS ABG	-RSL10-101Q48- RSL10 QFN				2024-05-21	TWU		WU		133.45	mg	Each	
Manufacturing Proccess Informatio	n													
Terminal Plating / Grid Array Mater	ial T	erminal Base A	Alloy	J-STD-020 MSL	Rating	Peak Proce	Peak Process Body Temperatur		e Max Time at Peak Tempera		ture Nun	nber of Reflow Cyd	cles	
Matte Tin (Sn) - annealed CU Alloy		U Alloy		3		260		С	30 se		seconds 3			
Comments														
ATTENTION: MSL 3 Rated item requires B	ake and D	ry Pack (after	electrical test)											
For more information regarding material co	mposition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted	
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

mogeneous Material Weight Unit of Measure		Level Substance		CAS	Exempt	Weight	Unit of Measure	
Die	15.0	mg	Supplier	Silicon (Si)	7440-21-3		15	mg
Die Attach	2.58	mg	Supplier	Isobornyl Methacrylate	7534-94-3		0.1548	mg
			Supplier	Silver (Ag)	7440-22-4		2.1027	mg
			Supplier	Isobornyl Acrylate	5888-33-5		0.1548	mg
			Supplier	Misc.	Proprietary Data		0.0129	mg
			Supplier	Tricyclo[5.2.1.02,6]decanedimethanol Diacrylate (C18H24O4)	42594-17-2		0.1548	mg
Lead Frame 7	78.55	mg	Supplier	Silver (Ag)	7440-22-4		0.7855	mg
			Supplier	Tin (Sn)	7440-31-5		0.1964	mg
			Supplier	Zinc (Zn)	7440-66-6		0.1728	mg
			Supplier	Chromium (Cr)	7440-47-3		0.1964	mg
			Supplier	Copper (Cu)	7440-50-8		77.1989	mg
Mold Compound-Black	34.32	mg	Supplier	Epoxy resins	129915-35-1		1.716	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1.716	mg
			Supplier	Carbon Black (C)	1333-86-4		0.1373	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.7894	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		29.172	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.7894	mg
Plating	2.46	mg	Supplier	Tin (Sn)	7440-31-5		2.46	mg
Wire Bond - Au	0.54	mg	Supplier	Gold (Au)	7440-57-5		0.54	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).