	CONNECTING CONNECTING CS INDUSTRIES® MOUSTRIES® MOUSTRIES®	PC, Bannockt	ourn, Illinois. A	All rights reserved untions.	under both leve									f the item is an as r has engineering	sembly with lowe responsibility.	
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				Form Type * Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					eous Materia	als and Mfg Information				
Supplier	r Information															
Company name* Company unique ID				ique ID	Unique			nique ID Authority					Response Date*			
onsemi												2024-05-05				
Contact Name			Title - Contact			I	Phone - Contact*					Email - Contact*				
Product-I	Env-Stewards		Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com					
Authorize	ed Representative*	Title - Representative			I	Phone - Representative*				Email - Representative*						
Product-I	Env-Stewards	Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com						
	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Dat	Date Version Manufacturing Site		ring Site	W	eight*	UOM	Unit Type		
				Enhanced Off-lin Protections and P	e Switcher with Externation	tended	ded 2024-05-05		PH1		49	493.56 mg		Each		
Aanufa	cturing Proccess Information	tion														
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-0		J-STD-020 MSL Ra	ating	Peak Proce		ss Body Temperature Max		ime at Peak	Temperatur	e Numt	per of Reflow Cyc	les	
	Matte Tin (Sn) - annealed (			CU Alloy NA			0 C		30		seconds	3				
Comments	3															
or more	information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	6.2	mg	Supplier	Silicon (Si)	7440-21-3		6.2	mg
Die Attach	0.89	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.2047	mg
			Supplier	Silver (Ag)	7440-22-4		0.6853	mg
Lead Frame	95.14	mg	Supplier	Silver (Ag)	7440-22-4		1.9028	mg
			Supplier	Zinc (Zn)	7440-66-6		0.1142	mg
			Supplier	Iron (Fe)	7439-89-6		2.2358	mg
			Supplier	Copper (Cu)	7440-50-8		90.8587	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0285	mg
Mold Compound-Black	382.5	mg		Epoxy resin	proprietary data		19.125	mg
			Supplier	Phenolic Resin	Proprietary Data		19.125	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		7.65	mg
			Supplier	Carbon Black (C)	1333-86-4		1.9125	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		334.6875	mg
Plating	8.74	mg	Supplier	Tin (Sn)	7440-31-5		8.74	mg
Wire Bond	0.09	mg	Supplier	Palladium (Pd)	7440-05-3		0.0009	mg
			Supplier	Copper (Cu)	7440-50-8		0.0891	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).