| ABSOCIATION CONNECTING<br>ELECTRONICS INDUSTRIES® INCONTRELATION AND ADDRESS INDUSTRIES® | IPC, Bannock  | burn, Illinois. A         | ll rights reserved un<br>tions. | nder both            | This docum<br>level parts, t | ent is a decla<br>he declaratio                                  | ration of the | substances<br>ses all lowe | within the materi            | anufacture<br>als for whi       | r listed ite<br>ich the ma      | m. Note: if<br>nufacturer | the item is an as has engineering | sembly with lower<br>responsibility. |  |
|--|---|---------------------------|---------------------------------|----------------------|------------------------------|--|---------------|----------------------------|------------------------------|---------------------------------|---------------------------------|---------------------------|-----------------------------------|--------------------------------------|--|
|  | IPC Web Site for Information on IPC-1752 Standard Form Type<br>http://www.ipc.org/IPC-175x Distribute |                           |                                 |                      | e *                          | Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Materi |               |                            |                              |                                 | als and Mfg Information         |                           |                                   |                                      |  |
| Supplier Information   |   |                           |                                 |                      |                              |  |               |                            |                              |                                 |                                 |                           |                                   |                                      |  |
| Company name* Co   |   |                           | Company unique ID               |                      |                              | Unique ID Authority  |               |                            |                              |                                 | Response Date*                  |                           |                                   |                                      |  |
| onsemi   |   |                           |                                 |                      |                              |  |               |                            |                              | 2024-05-16                      |                                 |                           |                                   |                                      |  |
| Contact Name Title -   |   |                           | tle - Contact                   |                      |                              | Phone - Contact*   |               |                            |                              |                                 | Email - Contact*                |                           |                                   |                                      |  |
| Product-Env-Stewards Pr  |   |                           | Product Enviro Compliance       |                      |                              | NA   |               |                            |                              |                                 | Product-Env-Stewards@onsemi.com |                           |                                   |                                      |  |
| Authorized Representative* Title   |   |                           | Title - Representative          |                      |                              | Phone - Representative*  |               |                            |                              | ]                               | Email - Representative*         |                           |                                   |                                      |  |
| Product-Env-Stewards   | Product Envir   | Product Enviro Compliance |                                 |                      | NA                           |  |               |                            |                              | Product-Env-Stewards@onsemi.com |                                 |                           |                                   |                                      |  |
| Requester Item Number  | Mfr Iter  | n Number                  | Mfr Item Name                   |                      |                              | Effective D  | ate Versio    | 'n                         | Manufacturing Site           |                                 | W                               | eight*                    | UOM                               | Unit Type                            |  |
|  | NCP161  | CP161AMX320TBG LDO 450mA, |                                 | Active Discharge     |                              | 2024-05-16   | ;             |                            | MY1                          |                                 | 1.4                             | 434                       | mg                                | Each                                 |  |
| Manufacturing Proccess Informa   | ition   |                           | 1                               |                      |                              | 1  |               | 1                          |                              |                                 |                                 |                           | I                                 | L                                    |  |
| Terminal Plating / Grid Array M  | aterial   | Ferminal Base A           | Alloy J                         | J-STD-020 MSL Rating |                              | Peak Process Boo   |               | Temperatu                  | Cemperature Max Time at Peak |                                 | Temperature Number c            |                           | er of Reflow Cyc                  | les                                  |  |
| Precious metal (e.g. Ag,Au, NiPdAu) (no<br>Sn)   |   | CU Alloy 1                |                                 | L                    |                              | 260  |               | C                          | 30 seco                      |                                 | second                          | conds 3                   |                                   |                                      |  |
| Comments   |   |                           |                                 |                      |                              |  |               |                            |                              |                                 |                                 |                           |                                   |                                      |  |
| evel 1 - maximum time at peak temperat   | ure during so   | dering is 10-3            | 0 seconds                       |                      |                              |  |               |                            |                              |                                 |                                 |                           |                                   |                                      |  |
| or more information regarding materia  | composition   | please refer to           | page 3                          |                      |                              |  |               |                            |                              |                                 |                                 |                           |                                   |                                      |  |

| RoHS Material Composition Declaration  |  |  |   | Declaration Type *                              | Detailed  |  |  |  |  |  |  |  |
|--|--|--|---|---|---|--|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP). |  |   |   |   |  |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>v others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the   | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and cc<br>for issues that arise regarding inform | ce of its products with European Union membe    | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa  | ances per the definitio  | on above  | Supplier Acceptance                             | * Accepted  |  |  |  |  |  |  |  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per   | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i   | n the RoHS Declaration above and choose all   |  |  |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU   |  |   |   |   |  |  |  |  |  |  |  |
| Declaration Signature  |  |  |   |   |   |  |  |  |  |  |  |  |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester  | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital | lly sign the declaration (if required by the  |  |  |  |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska  | Le   |   |   |   |  |  |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| Homogeneous Material | Weight | Unit of Measure | Level    | Substance  | CAS         | Exempt | Weight | Unit of Measure |
|----------------------|--------|-----------------|----------|--|-------------|--------|--------|-----------------|
| Die                  | 0.09   | mg              | Supplier | Silicon (Si)   | 7440-21-3   |        | 0.09   | mg              |
| Die Attach           | 0.13   | mg              | Supplier | Epoxized Condensate Of Para-<br>Hydrobenzaldehyde And Alkyl Phenol | 129915-35-1 |        | 0.0416 | mg              |
|                      |        |                 | Supplier | Aluminum Trioxide (Al2O3)  | 1344-28-1   |        | 0.0884 | mg              |
| Lead Frame           | 0.58   | mg              | Supplier | Tin (Sn)   | 7440-31-5   |        | 0.0014 | mg              |
|                      |        |                 | Supplier | Zinc (Zn)  | 7440-66-6   |        | 0.0013 | mg              |
|                      |        |                 | Supplier | Chromium (Cr)  | 7440-47-3   |        | 0.0014 | mg              |
|                      |        |                 | Supplier | Copper (Cu)  | 7440-50-8   |        | 0.5758 | mg              |
| Mold Compound-Black  | 0.6    | mg              | Supplier | Epoxy and Phenolic Resin   | 40216-08-8  |        | 0.048  | mg              |
|                      |        | -               | Supplier | Carbon Black (C)   | 1333-86-4   |        | 0.003  | mg              |
|                      |        |                 | Supplier | Aluminum Hydroxide (Al(OH)3)                                       | 21645-51-2  |        | 0.012  | mg              |
|                      |        |                 | Supplier | Fused Silica (SiO2)  | 60676-86-0  |        | 0.519  | mg              |
|                      |        |                 | Supplier | Phenolic Resin (Novolac)   | 9003-35-4   |        | 0.018  | mg              |
| Plating              | 0.004  | mg              | Supplier | Palladium (Pd)   | 7440-05-3   |        | 0.0001 | mg              |
|                      |        |                 | В        | Nickel (Ni)  | 7440-02-0   |        | 0.0035 | mg              |
|                      |        |                 | Supplier | Gold (Au)  | 7440-57-5   |        | 0.0004 | mg              |
| Wire Bond - Au       | 0.03   | mg              | Supplier | Gold (Au)  | 7440-57-5   |        | 0.03   | mg              |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).