ABBOCIATION CONNECTING ELECTRONICS INDUSTRIES® INTERNATIONAL AND	. IPC, Bannock	burn, Illinois. A	All rights reserved untions.	inder both	This docume level parts, th	ent is a declar he declaratio	ration of t n encomp	the substance passes all low	s within the er level mat	manufactur erials for w	rer listed it hich the m	em. Not anufacti	te: if the iter urer has eng	m is an ass gineering re	embly with lowe esponsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mfg Information				
Supplier Information															
Company name* C			Company unique ID			Unique ID Authority					Response Date*				
onsemi										2024-05-11					
Contact Name	Title - Conta	Title - Contact			Phone - Contact*					Email - Contact*					
Product-Env-Stewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
Authorized Representative*	Title - Repre	Title - Representative			Phone - Representative*				Email - Representative*						
Product-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
Requester Item Number	Mfr Iten	Mfr Item Number Mfr Item Name NCS211RMUTAG CURRENT SENS		Mfr Item Name CURRENT SENSE AMP G=500		Effective Da	e Date Version		Manufacturing Site MY1		١	Veight*	UC	МС	Unit Type
	NCS211					2024-05-11					3	3.53		g	Each
Manufacturing Proccess Inform	nation		1			1									I
Terminal Plating / Grid Array	Material	Ferminal Base	Alloy	J-STD-020 MSL Rating		Peak Process Bod		dy Temperatu	Temperature Max Time at Peak		Temperature Numbe		umber of Re	eflow Cycl	es
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		1		260		C	30		seconds 3				
Comments															
evel 1 - maximum time at peak temper	ature during so	Idering is 10-3	0 seconds												
or more information regarding mater	al composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material Weight		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.32	mg	Supplier	Silicon (Si)	7440-21-3		0.32	mg
Die Attach	0.1	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.065	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.035	mg
Lead Frame	0.59	mg	Supplier	Zinc (Zn)	7440-66-6		0.0007	mg
			Supplier	Iron (Fe)	7439-89-6		0.0139	mg
			Supplier	Copper (Cu)	7440-50-8		0.5752	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0002	mg
Mold Compound-Black	2.49	mg	Supplier	Epoxy resins	129915-35-1		0.1245	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.1245	mg
			Supplier	Carbon Black (C)	1333-86-4		0.01	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.0573	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		2.1165	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0573	mg
Plating	0.01	mg	Supplier	Palladium (Pd)	7440-05-3		0.0003	mg
			В	Nickel (Ni)	7440-02-0		0.0096	mg
			Supplier	Gold (Au)	7440-57-5		0.0001	mg
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).