ASSOCIATION CONNEC	© Copyright 2005, IPC	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater						als and Mfg	Informat	tion	
Supplier Info	rmation														
Company name*			Company unique ID			τ	Unique ID Authority					Response Date*			
nsemi												2024-05-17			
Contact Name		Title - Contact			F	Phone - Contact*					Email - Contact*				
Product-Env-Ste	ewards	Product Enviro Compliance			1	NA					Product-Env-Stewards@onsemi.com				
uthorized Repr	esentative*	Title - Representative			F	Phone - Representative*				Email - Representative*					
Product-Env-Ste	ewards	Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com					
Reque	ester Item Number	Mfr Item	Item Number Mfr Item Name				Effective Da	te Versio	on Manufacturing Site		W	eight*	UOM	Unit Type	
		NL3HS3124AMNTW 3.3V, 2 Char G Mux/Demux			, 2:1 Differentia	ıl	2024-05-17		N	MY1		34	.4293	mg	Each
Ianufacturi n	ng Proccess Informatio	n													
Termin	nal Plating / Grid Array Mater	ial T	Terminal Base Alloy		J-STD-020 MS	SL Rating	Peak Process Body Temperature		e Max Tin	ne at Peak	t Peak Temperatu		Number of Reflow Cycles		
Precio Sn)			CU Alloy		1		260		C 3		30 seco		seconds 3		
Comments					<u> </u>						<u> </u>		_		
vel 1 - maximui	m time at peak temperature	during so	ldering is 10-3	0 seconds											
or more inform	ation regarding material co	nposition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier have provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale app											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.69	mg	Supplier	Silicon (Si)	7440-21-3		0.69	mg	
Die Attach Tape	0.05	mg	Supplier	Oxirane, (chloromethyl)-, homopolymer	24969-06-0		0.0075	mg	
			Supplier	2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate and methyl 2- methyl-2-propenoate	25035-69-2		0.0075	mg	
			Supplier	Proprietary	Proprietary Data		0.005	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.0225	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0075	mg	
Lead Frame	16.0459	mg	Supplier	Zinc (Zn)	7440-66-6		0.0193	mg	
			Supplier	Iron (Fe)	7439-89-6		0.3771	mg	
			Supplier	Copper (Cu)	7440-50-8		15.6448	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0048	mg	
Mold Compound-Black	17.23	mg		Epoxy resin	proprietary data		0.8615	mg	
			Supplier	Phenolic Resin	Proprietary Data		0.3963	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.8615	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0689	mg	
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.3963	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		14.6455	mg	
Plating	0.2234	mg	Supplier	Silver (Ag)	7440-22-4		0.0034	mg	
			Supplier	Palladium (Pd)	7440-05-3		0.0079	mg	
			В	Nickel (Ni)	7440-02-0		0.2075	mg	
			Supplier	Gold (Au)	7440-57-5		0.0046	mg	
Wire Bond - Au	0.19	mg	Supplier	Gold (Au)	7440-57-5		0.19	mg	