ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES® International and Pa	PC, Bannock	burn, Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declar the declaratio	ration o n encor	of the substan mpasses all le	ices with ower lev	hin the manufact vel materials for	turer listed i which the n	tem. No nanufact	ote: if the turer has	item is an as engineering	sembly with low responsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					erials and M	fg Infor	mation		
Supplier Information															
Company name*	Company un	Company unique ID			Unique ID Authority					Respons	Response Date*				
onsemi										2024-05-13					
Contact Name Tit			Title - Contact			Phone - Contact*					Email -	Email - Contact*			
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA					Produc	Product-Env-Stewards@onsemi.com				
uthorized Representative*	Title - Repre	Title - Representative			Phone - Representative*				Email -	Email - Representative*					
Product-Env-Stewards	Product Enviro Compliance				NA				Produc	Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Iter	n Number	umber Mfr Item Name			Effective Date Version Manufacturing Si		ufacturing Site	,	Weight*		UOM	Unit Type		
	NLSX3	NLSX3012DMR2G 2 BIT TH		BIT TRANSLATOR		2024-05-13			THE	THB		24.2804	4	mg	Each
Aanufacturing Proccess Informa	tion					1			_				I		
Terminal Plating / Grid Array M	aterial '	Ferminal Base	Alloy	J-STD-020 MSL Rating		Peak Process Body		Body Temper	Temperature Max Time at Peak		ak Temperat	Temperature Number		Reflow Cyc	les
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		1		260		С		30		ds 3			
Comments															
evel 1 - maximum time at peak temperat	ure during so	dering is 10-3	0 seconds												
or more information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed								
Directive 2015/863/EU amending RoHS Directive 2011/65/EU													
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of								
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all								
Exemption List Version	EL-2011/534/EU												
Declaration Signature													
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the								
Supplier Digital Signature Ra	stislav Drska	Le											

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
ie 0.34 mg		mg	Supplier	Silicon (Si)	7440-21-3		0.34	mg
Die Attach	0.13	mg	Supplier	Ethylene glycol dicyclopentenyl ether methacrylate	68586-19-6		0.0045	mg
			Supplier	Bis(a,a-dimethylbenzyl) Peroxide	80-43-3		0.0008	mg
			Supplier	Silver (Ag)	7440-22-4		0.1246	mg
Lead Frame	11.2259	mg	Supplier	Zinc (Zn)	7440-66-6		0.0135	mg
			Supplier	Iron (Fe)	7439-89-6		0.2638	mg
			Supplier	Copper (Cu)	7440-50-8		10.9453	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0034	mg
Mold Compound-Black	12.4	mg		Epoxy resin	proprietary data		0.62	mg
			Supplier	Phenolic Resin	Proprietary Data		0.62	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.248	mg
			Supplier	Carbon Black (C)	1333-86-4		0.062	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		10.85	mg
Plating	0.114539	mg	Supplier	Palladium (Pd)	7440-05-3		0.0229	mg
			В	Nickel (Ni)	7440-02-0		0.0905	mg
			Supplier	Gold (Au)	7440-57-5		0.0011	mg
Wire Bond - Au	0.07	mg	Supplier	Gold (Au)	7440-57-5		0.07	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).