IPC ASSOCIATION ELECTRONIC	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under bot international and Pan-American copyright conventions.			nder both le	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
1752-21.1					Form Type * Distribute	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				rials and M	ials and Mfg Information				
Supplier	r Information														
Company	name*	Company unique ID			U	Unique ID Authority				Respon	Response Date*				
onsemi											2024-05	2024-05-17			
Contact N	ame	Title - Contact			P	Phone - Contact*				Email -	Email - Contact*				
Product-l	Env-Stewards	Product Enviro Compliance			1	NA				Produc	Product-Env-Stewards@onsemi.com				
uthorize	d Representative*	Title - Representative			P	Phone - Representative*				Email -	Email - Representative*				
Product-l	Env-Stewards		Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Iten		n Number Mfr Item Name				Effective Date	te Version Manufacturing Site			Weight*	UOM	Unit Type		
		NRVBSS13HE 30V 1A Schottky Re		Rectifier		2024-05-17		TSCBE			6.000001	mg	Each		
Ianufa	cturing Proccess Inform	ation							·						
	Terminal Plating / Grid Array Material		Terminal Base Alloy J-STD-		-STD-020 MSL F	Rating	Peak Process Body Temperatur		mperature	Max Time at Peal	« Tempera	ture Numbe	r of Reflow Cyc	eles	
Matte Tin (Sn) - annealed			CU Alloy 1				260 C 30			seconds 3					
omments															
<u>vel 1 - m</u>	aximum time at peak tempera	ture during so	ldering is 10-3	30 seconds											
or more	information regarding materia	al composition	please refer to	o page 3											

RoHS Material Composition Declaration			Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its paragraph. If the Company and the Supplier supplier have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Standard Terms and Conditions of Sale applicable to suc										
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	es per the definition above except for selected exemp	otions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.										
Supplier Digital Signature Ra	astislav Drska	-6_								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	0.22002	mg	Supplier	Iron (Fe)	7439-89-6		0.0003	mg
			Supplier	Copper (Cu)	7440-50-8		0.2197	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0001	mg
Die	0.67998	mg	Supplier	Titanium (Ti)	7440-32-6		0.001	mg
			Supplier	Silver (Ag)	7440-22-4		0.0253	mg
			Supplier	Silicon (Si)	7440-21-3		0.6474	mg
			В	Nickel (Ni)	7440-02-0		0.0063	mg
Die Attach Solder	0.250021	mg	Supplier	Silver (Ag)	7440-22-4		0.0063	mg
			A	Lead (Pb)	7439-92-1	7a	0.2313	mg
			Supplier	Tin (Sn)	7440-31-5		0.0125	mg
Lead Frame	1.39002	mg	Supplier	Iron (Fe)	7439-89-6		0.0017	mg
			Supplier	Copper (Cu)	7440-50-8		1.3879	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0004	mg
Mold Compound-Black	3.25998	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.1793	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0163	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		2.9014	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.163	mg
Plating	0.19998	mg	Supplier	Tin (Sn)	7440-31-5		0.2	mg