Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.					This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
1752-21.1	IDC Web Site for Information on IDC 1752 Standard Form Type				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mfg Information					
Supplier	Information														
Company name* Company unique ID				ique ID	Unique ID Authority					Response Date*					
nsemi											2024-05-10				
Contact Na	ame	Title - Contact				Phone - Contact*					Email - Contact*				
Product-E	Env-Stewards		Product Envi	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
uthorized	d Representative*	Title - Representative				Phone - Representative*				Email - Representative*					
roduct-E	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Da	ve Date		W	eight*	UOM	Unit Type		
		RHRP1560-F102 HFR TO22021		HFR TO2202L PN	15A 4-600V		2024-05-10 CPA			19	978.421	mg	Each		
Ianufa	cturing Proccess Informa	tion													
	Terminal Plating / Grid Array Material		Terminal Base Alloy J-STD-		STD-020 MS	L Rating	Peak Process Body Temperatu		ure Max Time at Peak Tempo		Temperatu	re Numb	er of Reflow Cyc	cles	
Matte Tin (Sn) - annealed		CU Alloy NA		A		0 C 30			seconds 3						
omments															
or more i	information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detailed								
Directive 2015/863/EU amending RoHS Directive 2011/65/EU												
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its keloardine shall encompass all such components. Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its paragraph. If the Company and the Supplier shall applier of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.												
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	es per the definition above except for selected exemp	otions Supplier Acceptance	* Accepted								
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).												
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required f Requester) and click on Submit Form to ha		'Accepted" on the Supplier Acceptance drop-dow	n. This will display the signature area. Digita	lly sign the declaration (if required by the								
Supplier Digital Signature Ra	astislav Drska	-6_										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.81	mg	Supplier	Silicon (Si)	7440-21-3		2.81	mg
Die Attach Solder	1.111	mg	Supplier	Silver (Ag)	7440-22-4		0.0278	mg
			A	Lead (Pb)	7439-92-1	7a	1.0277	mg
			Supplier	Tin (Sn)	7440-31-5		0.0555	mg
Lead Frame	1444.76	mg	В	Nickel (Ni)	7440-02-0		14.3031	mg
			Supplier	Iron (Fe)	7439-89-6		2.1527	mg
			Supplier	Copper (Cu)	7440-50-8		1427.004	mg
			Supplier	Phosphorus (P)	7723-14-0		1.3002	mg
Mold Compound-Black	518.4	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		103.68	mg
			Supplier	Carbon Black (C)	1333-86-4		5.184	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		409.536	mg
Plating	8.9	mg	Supplier	Tin (Sn)	7440-31-5		8.9	mg
Wire Bond - Al	2.44	mg	Supplier	Aluminum (Al)	7429-90-5		2.44	mg