ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INFO	Bannockburn, Illinois.	All rights reserved u	under both	This docume level parts, t	ent is a declaration	ion of the su	ibstances s all lower	within the manufactur level materials for w	rer listed ite hich the ma	em. Note: if anufacturer	f the item is an as has engineering	sembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form http://www.ipc.org/IPC-175x Distri			e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information				
Supplier Information													
Company name* Company unique II			Je ID Uniqu			Jnique ID Authority				Response Date*			
onsemi									2024-05-19				
Contact Name	tact Name Title - Contact]	Phone - Contact*				Email - Contact*				
roduct-Env-Stewards Product Enviro Compli			Compliance		NA			Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Representative			Ph		Phone - Repre	none - Representative*			Email - Representative*				
Product-Env-Stewards	ro Compliance		NA			Product-Env-Stewards@onsemi.com							
Requester Item Number	Mfr Item Number	Mfr Item Name			Effective Date	Version	Ν	Manufacturing Site		/eight*	UOM	Unit Type	
	SZNUD3160DMT1G	UD3160DMT1G 60V DUAL INDUC		D	2024-05-19	-05-19 CN1		N1	1	3.43	mg	Each	
Manufacturing Proccess Information	n												
Terminal Plating / Grid Array Materi	Array Material Terminal Base Alloy		J-STD-020 MSL	Rating	Peak Proc	Process Body Temperature Max Time at Peak		Temperature Number of Reflow Cycles		les			
Matte Tin (Sn) - annealed CU Alloy		1		260		С	30	second	s 3				
Comments													
level 1 - maximum time at peak temperature o	during soldering is 10-	30 seconds											
For more information regarding material con	position please refer	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	otherwise noted).							
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.67	mg	Supplier	Silicon (Si)	7440-21-3		0.67	mg
Lead Frame 2	2.55	mg	В	Nickel (Ni)	7440-02-0		0.9664	mg
			Supplier	Iron (Fe)	7439-89-6		1.3362	mg
			Supplier	Copper (Cu)	7440-50-8		0.2473	mg
Mold Compound-Black 10	10.0	mg	Supplier	Boron zinc hydroxide oxide	138265-88-0		0.3	mg
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		0.05	mg
			Supplier	2,4,6-triamino-s-triazincompd.withs- triazine-triol	37640-57-6		0.3	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		8	mg
			Supplier	Carbon Black (C)	1333-86-4		0.1	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.8	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.45	mg
Plating	0.13	mg	Supplier	Tin (Sn)	7440-31-5		0.13	mg
Wire Bond - Au	0.08	mg	Supplier	Gold (Au)	7440-57-5		0.08	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).