ON Semiconductor

Is Now

Onsemi

To learn more about onsemi[™], please visit our website at <u>www.onsemi.com</u>

onsemi and ONSEMI. and other names, marks, and brands are registered and/or common law trademarks of Semiconductor Components Industries, LLC dba "onsemi" or its affiliates and/or subsidiaries in the United States and/or other countries. onsemi owns the rights to a number of patents, trademarks, copyrights, trade secrets, and other intellectual property. A listing of onsemi product/patent coverage may be accessed at www.onsemi.com/site/pdf/Patent-Marking.pdf. onsemi reserves the right to make changes at any time to any products or information herein, without notice. The information herein is provided "as-is" and onsemi makes no warranty, representation or guarantee regarding the accuracy of the information, product factures, availability, functionality, or suitability of its products for any particular purpose, nor does onsemi assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. Buyer is responsible for its products and applications using onsemi products, including compliance with all laws, regulations and asfety requirements or standards, regardless of any support or applications information provided by onsemi. "Typical" parameters which may be provided in onsemi data sheets and/or by customer's technical experts. onsemi products and actal performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. onsemi products are not designed, intended, or authorized for use as a critical component in life support systems or any FDA Class 3 medical devices or medical devices with a same or similar classification in a foreign jurisdiction or any devices intended for implantation in the human body. Should Buyer purchase or use onsemi products for any such unintended or unauthorized application, Buyer shall indemnify and hold onsemi and its officers, employees, subsidiari

Detection Voltage Selection Guidelines for Application of NCP30X Family Series




ON Semiconductor[®]

http://onsemi.com

APPLICATION NOTE

Device	Application	Input Voltage	Output Power	Topology	I/O Isolation
NCP30X	Voltage Supervisory Rest IC	N/A	N/A	N/A	N/A

Circuit Description



The Figure 1 shows the basic block diagram of NCP30X supervisory family series. It features a highly accurate undervoltage detector with hysteresis. Some parts also feature an externally programmable time delay generator by adding a delay capacitor at the CD pin. This combination of features prevents the system from erratic reset operation.

AND8425/D

To guarantee the microprocessor (uP) operating normally, the power supply should be well monitored by using voltage monitor device such as NCP30X. In order to make sure that the uP RESET input is asserted when the power supply is not ready and, RESET pin is de-asserted for normal operation when power supply voltage reaches above the minimum operating range of V_{CC} input.

This document demonstrates the guideline how to select NCP30X detection voltage option based on the given system parameters.




Figure 2. Typical System Configuration Using with Supervisory Device \checkmark

The configuration in the Figure 2 shows how the power supply connects to uP under the voltage monitoring by NCP30X device. To make sure that uP is in normal operation, typically the voltage % tolerance of the power supply must be tighter than that of the uP. For example, if the uP's V_{CC} voltage tolerance (it can be found in uP's DC electrical specification at data sheet) is $\pm 5\%$, then the power supply % tolerance should be less than 5%, say, for example 3%.

AND8425/D

NCP30X Detection Voltage Selection Criteria

For selecting the NCP30X detection voltage option, basically there are three major factors to be considered:

1. $V_{DET+ max}$ = Maximum detection voltage (V_{in} rises) of the NCP30X.

2. $V_{in min}$ = Minimum voltage output of the power supply.

3. $V_{CC_{min}}$ = Minimum voltage input of the device (powered by supply V_{in}) that can normally operate.

For the V_{DET+_max} , it can be given by the following formula:

 $V_{DET+_max} = V_{DET-_max} + V_{HYS_max}$ (eq. 1)

Where:

 V_{DET-_max} = Maximum detector threshold voltages

 V_{HYS} max = Maximum detector threshold hysteresis

For the NCP30X family, for given $V_{DET-typ}$ typical detection voltage which reflects on the part number at data sheet, the device's threshold values are designed to the following targets (at 25°C).

$V_{DET_min} = V_{DET_typ} - 2\%$	(eq. 2)
$V_{DETmax} = V_{DETtyp} - 2\%$	(eq. 3)
$V_{HYS_{typ}} = 5\% \text{ of } V_{DET_{typ}}$	(eq. 4)
$V_{HYS_min} = V_{HYS_typ} - 40\%$	(eq. 5)
$V_{HYS_max} = V_{HYS_typ} - 40\%$	(eq. 6)

The below table shows how those information can be found in the data sheet:

NCP300 Series	VDETmin VDETtyp VDETmax NCP300 Series Detector Threshold Hysteresis						
	V _{DET-} (V) (Note 4)						
Part Number	Min	Тур	Max	Min	Тур	Max	
NCP300LSN09T1	0.882	0.9	0.918	0.027	0.045	0.063	
NCP300LSN18T1	1 764	18	1 836 V _{HYS}	6_min	V _{HYS_typ}	0 126 V _{HYS_max}	

By simple mathematical re-combination of Equations 2 to 6, Equation 1 becomes:

$$V_{\text{DET+_max}} = V_{\text{DET-_typ}} \times 1.09$$

So, $V_{\text{DET}+\max}$ can be easily figure out by just using a single variable $V_{\text{DET}+\text{yp}}$.

For having the value of V_{DET+_max} , the NCP30X device detection voltage option must be chosen such that:

$$V_{CC_{min}} < V_{DET+_{max}} < V_{in_{min}}$$

The physical meaning of $V_{CC_min} < V_{DET+_max}$ is that it makes sure the reset from NCP30X is asserted (in RESET hold state) before V_{in} supply becomes higher than V_{CC_min} for prevention from incorrect device (uP) initialization.

For the $V_{DET+_max} < V_{in_min}$, it makes sure the NCP30X is able to start up even though V_{in} is at the V_{in_min} .


Theoretically speaking, by principle of two points averaging, the ideal detection voltage threshold value, $V_{DET-_typ_ideal}$, can be given by the following formula:

$$V_{DET-_typ_ideal} = (V_{in_min} + V_{CC_min}) / (2 \times 1.09)$$

AND8425/D

Example of Detection Voltage Threshold Selection Calculation

- 1. Power supply output specification: $3.3 \text{ V} \pm 3\%$
- 2. Microprocessor core voltage specification: 3.3 V \pm 5%



So, we have:

 $V_{in_min} = 3.3 V * 0.97$ = 3.201 V $V_{CC_min} = 3.3 V * 0.95$ = 3.135 V

Recall the formula

 $V_{DET-_typ_ideal} = \left(V_{in_min} + V_{CC_min}\right) / (2 \times 1.09)$ So, the ideal detection voltage option = (3.201 + 3.135) / (2 * 1.09)

= 2.9064 V

Therefore, the device detection voltage option 2.9 V should be the right choice. That is to say, customer should select the part number NCP30xxSx29T1G.

ON Semiconductor and ()) are registered trademarks of Semiconductor Components Industries, LLC (SCILLC). SCILLC reserves the right to make changes without further notice to any products herein. SCILLC makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does SCILLC assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. "Typical" parameters which may be provided in SCILLC data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typical" must be validated for each customer application by customer's technical experts. SCILLC does not convey any license under its patent rights or the rights of others. SCILLC products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the SCILLC product could create a situation where personal injury or death may occur. Should Buyer purchase or use SCILLC products for any such unintended or unauthorized application, Buyer shall indemnify and hold SCILLC and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized to all applicable copyright laws and is not for resale in any manner.

PUBLICATION ORDERING INFORMATION

LITERATURE FULFILLMENT:

Literature Distribution Center for ON Semiconductor P.O. Box 5163, Denver, Colorado 80217 USA Phone: 303–675–2175 or 800–344–3860 Toll Free USA/Canada Fax: 303–675–2176 or 800–344–3867 Toll Free USA/Canada Email: orderlit@onsemi.com N. American Technical Support: 800–282–9855 Toll Free USA/Canada Europe, Middle East and Africa Technical Support:

Phone: 421 33 790 2910 Japan Customer Focus Center Phone: 81–3–5773–3850 ON Semiconductor Website: www.onsemi.com

Order Literature: http://www.onsemi.com/orderlit

For additional information, please contact your local Sales Representative