



Selection. Service. Support.
Power Solutions from ON Semiconductor

ASSP Product Selector Guide & Cross Reference



*Updated listing and part number cross reference of new Application
Specific Standard Products offered by ON Semiconductor.*

Ultra-Low Power SRAMs

Part Number	Density (Mb)	Organization	Voltage Range	Speed (ns)	Features	Package
N08L6182A	8	512 Kb x 16	1.65 - 2.2	70	Dual CE	48-BGA
N08L63W2A	8	512 Kb x 16	2.3 - 3.6	70	Dual CE	48-BGA
N04L63W2A	4	256 Kb x 16	2.3 - 3.6	55	Dual CE	44-TSOP2, 48-BGA
N04L63W1A	4	256 Kb x 16	2.3 - 3.6	70	Single CE	44-TSOP2, 48-BGA
N02L6181A	2	128 Kb x 16	1.65 - 2.2	70	Single CE	48-BGA
N02L63W2A	2	128 Kb x 16	2.3 - 3.6	55	Dual CE	44-TSOP2, 48-BGA
N02L63W3A	2	128 Kb x 16	2.3 - 3.6	55	Single CE	44-TSOP2, 48-BGA
N02L83W2A	2	256 Kb x 8	2.3 - 3.6	55	Dual CE	32-TSOP1, 32-STSOP1
N01L83W2A	1	128 Kb x 8	2.3 - 3.6	55	Dual CE	32-TSOP1, 32-STSOP1
N01L6183A	1	64 Kb x 16	1.65 - 2.2	70	Single CE	44-TSOP2, 48-BGA
N01L63W2A	1	64 Kb x 16	2.3 - 3.6	55	Dual CE	44-TSOP2, 48-BGA
N01L63W3A	1	64 Kb x 16	2.3 - 3.6	55	Single CE	44-TSOP2, 48-BGA

Low Power Serial SRAMs

Part Number	Density (Kb)	Interface	Speed (MHz)	Package
N64S818HA	64	SPI	16	8-Pin SOIC/TSSOP
N64S830HA	64	SPI	20	8-Pin SOIC/TSSOP
N25S818HA	256	SPI	16	8-Pin SOIC/TSSOP
N25S830HA	256	SPI	20	8-Pin SOIC/TSSOP

Clocks & Timers

Part Number	Memory	Freqs (PLL Dividers)	Clock Output	Temperature Range	Package
FS6128-04	ROM	Crystal x 2; 27 MHz out	1	0 to 70°C	8-SOIC
FS6128-07	ROM	Crystal x 2; 27 MHz out	1	0 to 70°C	8-SOIC
FS6131	RAM	Custom precision	2 differential; CMOS/Pseudo-ECL	0 to 70°C	16-SOIC
FS6370	EE	Custom precision	4	0 to 70°C	16-SOIC
FS6377	RAM	Custom, register-based	4	0 to 70°C	16-SOIC
FS7145	RAM	Custom precision	2 differential; CMOS/Pseudo-ECL	0 to 70°C	16-SOIC, 16-SSOP
FS7140	RAM	Custom precision	2 differential; CMOS/Pseudo-ECL	0 to 70°C	16-SOIC, 16-SSOP

Power-over-Ethernet

Part	Standard	Current Level (mA)	System ESD	Cable ESD (kV)	Thermal Resistance (C/W)	Converter Type	Max Junction Temp	Package
NCP1080	IEEE802.3af	350	IEC 61000-4	3	37	Multimode	150°C	TSSOP20-EP
NCP1081	IEEE802.3at (draft 3.0)	1100	IEC 61000-4	3	37	Multimode	150°C	TSSOP20-EP

LIN Transceiver

Part Number	Key Parameters					Standards			Features		
	Bus Speed (Baud)	Bus ESD HBM (KV)	Bus Voltage (V)	Sleep Mode Current (μ A)	Supply Current Dominant Mode (mA)	LIN Transceiver LIN2.0	Diagnostic Bus ISO/DIN 9141	Automotive Qualified AEC Q100	Bare Die Option	Suitable for 12 V or 24 V Systems	Package
AMIS-30600	20K	\pm 4	\pm 40	55	1, 5	✓	✓	✓	✓	✓	8-SOIC

CAN Transceivers

Part Number	Key Parameters					Standards				Features							
	Bus Speed (Baud)	Propagation Delay TxD to RxD (ns)	Bus ESD - HBM (KV)	Bus Voltage (V)	Input Voltage Compatibility (V)	ISO11898-2 Transceiver	ISO11898-3 Transceiver	GIFT Certified	IBEE Report	SPLIT Function	Wake-up Over Bus	Auto Baud	Long Network (> 50 M) Capability	Automotive Qualified AEC Q100	Industrial Qualified Level C	Bare Die Option	Package
AMIS-30660	1 M	245	4	\pm 45	5	✓		✓	✓					✓		✓	8-SOIC
AMIS-30663	1 M	245	4	\pm 45	3.3/5	✓								✓			8-SOIC
AMIS-41682	250 K	1400	6	\pm 40	5			✓	✓					✓			14-SOIC
AMIS-41683	250 K	1400	6	\pm 40	3.3/5		✓	✓						✓			14-SOIC
AMIS-42665	1 M	245	8	\pm 35	5	✓	✓	✓	✓	✓	✓			✓		✓	8-SOIC
AMIS-42671	1 M	245	4	\pm 45	5	✓						✓	✓		✓		8-SOIC
AMIS-42673	1 M	245	4	\pm 45	3.3/5	✓							✓		✓		8-SOIC
AMIS-42675	1 M	245	8	\pm 35	5	✓				✓			✓		✓	✓	8-SOIC
AMIS-42770	1 M	-	4	\pm 45	5	✓							✓		✓		20-SOIC

Industrial Process Automation

Part Number	Number of Receivers	I _O Max (μ A)	V _{CC} Min (V)	Number of Drivers	t _{PLH} Max (μ s)	V _{CC} Max (V)	Data Transmission Standard	I _H max (mA)	Package
AMIS-49200	1	30000	4.75	1	4.7	6.2	FOUNDATION Fieldbus, PROFIBUS PA	0.001	44-LQFP (10x10)
AMIS-49250	1	30000	4.75	1	4.7	6.2	FOUNDATION Fieldbus, PROFIBUS PA	0.001	44-NQFP (7x7)
A5191HRT	1	670	3	1	0.02	5.5	HART	0.001	32-LQFP, 28-PLCC

High Side Drivers

Part Number	12 V Automotive Compliant	24 V Industrial Compliant	Communication Bus	Temperature Range	Package
AMIS-39100	✓		SPI	-40 to 125°C	28-SOIC
AMIS-39101		✓	SPI	-40 to 125°C	28-SOIC

Stepper Motor Drivers

Part Number	Drivers		Features										User Accessible Settings				Diagnostics				Communication Bus	
	Max. Current @T _J = 80° C (mA)	Max. Current @ T _J = 125°C (mA)	High Level Position Command from Master	Next (Micro) Step Pulse from Master	Positioner	Embedded Current Translator	ISafe Position Function	Autonomous Resume of Movement After Undervoltage Event	Position Switch Input	Stall Detection	Speed and Load Angle Output	5 V Voltage Regulator 50 mA Output	Package	Number of OTP Bytes	Selection of Max. and Min. Speed	Selection of Acceleration Slope	Safe Emergency Position	Thermal Warning and Shutdown	Low Temperature Warning	Open and Shorted Motor Pins		Undervoltage
AMIS-30521	1600	800		✓		✓					✓		32-NQFP					✓		✓		SPI
AMIS-30522	1600	800		✓		✓				✓	✓		32-NQFP					✓		✓		SPI
AMIS-30623	800	800	✓		✓	✓	✓	✓	✓				20-SOIC, 32-NQFP	6	✓	✓	✓	✓	✓	✓	✓	LIN
AMIS-30624	800	800	✓		✓	✓	✓	✓	✓				20-SOIC, 32-NQFP	6	✓	✓	✓	✓	✓	✓	✓	I2C

Audio DSPs

Product	Status	DSP Core	Coprocessor	MIPS	Dynamic Range (dB)	RAM KIB	Interfaces	Power Consumption @ 20 MHz	Standby Current (µA)	Analog Audio I/O	RoHS Compliant
BelaSigna 250 CABGA	Active	RCORE 16-bit	WOLA	60	88	42	I2S, PCM, UART, SPI, I2C, GPIO	5 mA	50	1	✓
BelaSigna 250 LFBGA	Active	RCORE 16-bit	WOLA	60	88	42	I2S, PCM, UART, SPI, I2C, GPIO	5 mA	50	1	✓
BelaSigna 200 WLCSP	Active	RCORE 16-bit	WOLA	40	83	42	GPIO, SPI, UART, I2C, PCM	5 mA	250	1	✓
BelaSigna 200 QFN	Active	RCORE 16-bit	WOLA	40	83	42	GPIO, SPI, UART, I2S, I2C, PCM	5 mA	250	1	✓

Part Number Cross Reference

Description	Previous AMI Semiconductor Part Number	Current ON Semiconductor Part Number	Package
Ultra-Low Power SRAMs			
1 Mb, 1.8 V Low Power SRAM	20141-005-XTD	N01L6183AT27I	TSOP-44
1 Mb, 3 V Low Power SRAM	20141-006-XTD	N01L63W2AB25I	BGA-48
1 Mb, 3 V Low Power SRAM	20141-007-XTD	N01L63W2AT25I	TSOP-44
1 Mb, 3 V Low Power SRAM	20141-008-XTD	N01L63W3AB25I	BGA-48
1 Mb, 3 V Low Power SRAM	20141-009-XTD	N01L63W3AT25I	TSOP-44
1 Mb, 3 V Low Power SRAM	20141-009-XTP	N01L63W3AT25IT	TSOP-44
1 Mb, 3 V Low Power SRAM	20141-001-XTD	N01L83W2AN25I	TSOP-32
1 Mb, 3 V Low Power SRAM	20141-001-XTP	N01L83W2AN25IT	TSOP-32
1 Mb, 3 V Low Power SRAM	20141-002-XTP	N01L83W2AN5I	TSOP-32
1 Mb, 3 V Low Power SRAM	20141-003-XTD	N01L83W2AT25I	TSOP-32
1 Mb, 3 V Low Power SRAM	20141-003-XTP	N01L83W2AT25IT	TSOP-32
2 Mb, 1.8 V Low Power SRAM	20142-005-XTD	N02L6181AB27I	BGA-48
2 Mb, 1.8 V Low Power SRAM	20142-012-XTD	N02L6181AB28I	BGA-48
2 Mb, 3 V Low Power SRAM	20142-007-XTD	N02L63W2AB25I	BGA-48
2 Mb, 3 V Low Power SRAM	20142-008-XTD	N02L63W2AT25I	TSOP-44
2 Mb, 3 V Low Power SRAM	20142-009-XTD	N02L63W3AB25I	BGA-48
2 Mb, 3 V Low Power SRAM	20142-009-XTP	N02L63W3AB25IT	BGA-48
2 Mb, 3 V Low Power SRAM	20142-010-XTD	N02L63W3AB5I	BGA-48
2 Mb, 3 V Low Power SRAM	20142-010-XTP	N02L63W3AB5IT	BGA-48
2 Mb, 3 V Low Power SRAM	20142-011-XTD	N02L63W3AT25I	TSOP-44
2 Mb, 3 V Low Power SRAM	20142-011-XTP	N02L63W3AT25IT	TSOP-44
2 Mb, 3 V Low Power SRAM	20142-001-XTD	N02L83W2AN25I	TSOP-32
2 Mb, 3 V Low Power SRAM	20142-001-XTP	N02L83W2AN25IT	TSOP-32
2 Mb, 3 V Low Power SRAM	20142-002-XTD	N02L83W2AN5I	TSOP-32
2 Mb, 3 V Low Power SRAM	20142-002-XTP	N02L83W2AN5IT	TSOP-32
2 Mb, 3 V Low Power SRAM	20142-003-XTD	N02L83W2AT25I	TSOP-32
2 Mb, 3 V Low Power SRAM	20142-004-XTD	N02L83W2AT5I	TSOP-32
4 Mb, 3 V Low Power SRAM	20126-006-XTD	N04L63W1AB27I	BGA-48
4 Mb, 3 V Low Power SRAM	20126-006-XTP	N04L63W1AB27IT	BGA-48
4 Mb, 3 V Low Power SRAM	20126-007-XTD	N04L63W1AB7I	BGA-48
4 Mb, 3 V Low Power SRAM	20126-007-XTP	N04L63W1AB7IT	BGA-48
4 Mb, 3 V Low Power SRAM	20126-008-XTD	N04L63W1AT27I	TSOP-44
4 Mb, 3 V Low Power SRAM	20126-008-XTP	N04L63W1AT27IT	TSOP-44
4 Mb, 3 V Low Power SRAM	20126-009-XTD	N04L63W1AT7I	TSOP-44
4 Mb, 3 V Low Power SRAM	20126-010-XTD	N04L63W2AB27I	BGA-48
4 Mb, 3 V Low Power SRAM	20126-011-XTD	N04L63W2AT27I	TSOP-44
4 Mb, 3 V Low Power SRAM	20126-011-XTP	N04L63W2AT27IT	TSOP-44
4 Mb, 3 V Low Power SRAM	20126-012-XTD	N04L63W2AT7I	TSOP-44
8 Mb, 1.8 V Low Power SRAM	20131-006-XTD	N08L6182AB1E	BGA-48
8 Mb, 1.8 V Low Power SRAM	20131-001-XTD	N08L6182AB27I	BGA-48
8 Mb, 1.8 V Low Power SRAM	20131-002-XTD	N08L6182AB7I	BGA-48
8 Mb, 1.8 V Low Power SRAM	20131-002-XTP	N08L6182AB7IT	BGA-48
8 Mb, 3 V Low Power SRAM	20131-003-XTD	N08L63W2AB27I	BGA-48
8 Mb, 3 V Low Power SRAM	20131-004-XTD	N08L63W2AB7I	BGA-48

Description	Previous AMI Semiconductor Part Number	Current ON Semiconductor Part Number	Package
Low Power Serial SRAMs			
256 Kb, 1.8 V Serial SRAM	20190-005-XTD	N25S818HAS21I	SOIC-8
256 Kb, 1.8 V Serial SRAM	20190-006-XTD	N25S818HAT21I	TSSOP-8
256 Kb, 3 V Serial SRAM	20190-007-XTD	N25S830HAS22I	SOIC-8
256 Kb, 3 V Serial SRAM	20190-008-XTD	N25S830HAT22I	TSSOP-8
64 Kb, 1.8 V Serial SRAM	20190-001-XTD	N64S818HAS21I	SOIC-8
64 Kb, 1.8 V Serial SRAM	20190-002-XTD	N64S818HAT21I	TSSOP-8
64 Kb, 3 V Serial SRAM	20190-003-XTD	N64S830HAS22I	SOIC-8
64 Kb, 3 V Serial SRAM	20190-004-XTD	N64S830HAT22I	TSSOP-8
Clocks and Timers			
VCXO Clock Generator, 27 MHz	11640-892-XTD	FS6128-04G-XTD	SOIC-8
VCXO Clock Generator, 27 MHz	11640-892-XTP	FS6128-04G-XTP	SOIC-8
VCXO Clock Generator, 27 MHz	11640-843-XTD	FS6128-07-XTD	SOIC-8
VCXO Clock Generator, 27 MHz	11640-843-XTP	FS6128-07-XTP	SOIC-8
I2C Programmable PLL Clock	11274-502-XTD	FS6131-01G-XTD	SOIC-16
I2C Programmable PLL Clock	11274-502-XTP	FS6131-01G-XTP	SOIC-16
I2C Programmable PLL Clock	11274-901-XTD	FS6131-01i-XTD	SOIC-16
I2C Programmable PLL Clock	11274-901-XTP	FS6131-01i-XTP	SOIC-16
EE Programmable 3-PLL Clock	11575-819-XTD	FS6370-01G-XTD	SOIC-16
EE Programmable 3-PLL Clock	11575-819-XTP	FS6370-01G-XTP	SOIC-16
I2C Programmable 3-PLL Clock	11486-912-XTD	FS6377-01G-XTD	SOIC-16
I2C Programmable 3-PLL Clock	11486-912-XTP	FS6377-01G-XTP	SOIC-16
I2C Programmable 3-PLL Clock	11486-913-XTD	FS6377-01iG-XTD	SOIC-16
I2C Programmable 3-PLL Clock	11486-913-XTP	FS6377-01iG-XTP	SOIC-16
I2C Programmable PLL Clock 3.3 V	13715-806-XTD	FS7140-01G-XTD	SOIC-16
I2C Programmable PLL Clock 3.3 V	13715-806-XTP	FS7140-01G-XTP	SOIC-16
I2C Programmable PLL Clock 3.3 V	13715-805-XTD	FS7140-02G-XTD	SSOP-16
I2C Programmable PLL Clock 3.3 V	13715-805-XTP	FS7140-02G-XTP	SSOP-16
I2C Programmable PLL Clock 3.3 V	13715-102-XTD	FS7145-01-XTD	SOIC-16
I2C Programmable PLL Clock 3.3 V	13715-102-XTP	FS7145-01-XTP	SOIC-16
I2C Programmable PLL Clock 3.3 V	13715-808-XTD	FS7145-02G-XTD	SSOP-16
I2C Programmable PLL Clock 3.3 V	13715-808-XTP	FS7145-02G-XTP	SSOP-16
LIN/CAN Transceivers			
LIN Transceiver	OLINI-001-XTD	AMIS30600LINI1G	SOIC-8
LIN Transceiver	OLINI-001-XTP	AMIS30600LINI1RG	SOIC-8
CAN Transceiver	OCANH-002-XTD	AMIS30660CANH2G	SOIC-8
CAN Transceiver	OCANH-002-XTP	AMIS30660CANH2RG	SOIC-8
CAN Transceiver	OCANH-006-XTD	AMIS30660CANH6G	SOIC-8
CAN Transceiver	OCANH-006-XTP	AMIS30660CANH6RG	SOIC-8
CAN Transceiver	OCANG-001-XTD	AMIS30663CANG2G	SOIC-8
CAN Transceiver	OCANG-001-XTP	AMIS30663CANG2RG	SOIC-8
CAN Transceiver, Fault Tolerant	OCANM-001-XTD	AMIS41682CANM1G	SOIC-14
CAN Transceiver, Fault Tolerant	OCANM-001-XTP	AMIS41682CANM1RG	SOIC-14
CAN Transceiver, Fault Tolerant	OCANN-001-XTD	AMIS41683CANN1G	SOIC-14

Part Number Cross Reference

Description	Previous AMI Semiconductor Part Number	Current ON Semiconductor Part Number	Package
LIN/CAN Transceivers (cont.)			
CAN Transceiver, Fault Tolerant	OCANN-001-XTP	AMIS41683CANN1RG	SOIC-14
CAN Transceiver, Low Power	OTJAA-001-XTD	AMIS42665TJAA1G	SOIC-8
CAN Transceiver, Low Power	OTJAA-001-XTP	AMIS42665TJAA1RG	SOIC-8
CAN Transceiver, Low Power	OTJAA-003-XTD	AMIS42665TJAA6L	SOIC-8
CAN Transceiver, Low Power	OTJAA-003-XTP	AMIS42665TJAA6RL	SOIC-8
CAN Transceiver, Long Networks	OICAB-001-XTD	AMIS42671ICAB1G	SOIC-8
CAN Transceiver, Long Networks	OICAB-001-XTP	AMIS42671ICAB1RG	SOIC-8
CAN Transceiver, Long Networks	OICAG-001-XTD	AMIS42673ICAG1G	SOIC-8
CAN Transceiver, Long Networks	OICAG-001-XTP	AMIS42673ICAG1RG	SOIC-8
CAN Transceiver, Low Power	OICAA-001-XTD	AMIS42675ICAA1G	SOIC-8
CAN Transceiver, Low Power	OICAA-001-XTP	AMIS42675ICAA1RG	SOIC-8
CAN Transceiver, Long Networks, Dual	OICAW-001-XTD	AMIS42770ICAW1G	SOIC-20
CAN Transceiver, Long Networks, Dual	OICAW-001-XTP	AMIS42770ICAW1RG	SOIC-20
Modems and Transceivers			
HART Modem	12197-507-XTD	A5191HRTLG-XTD	LQFP-32
HART Modem	12197-507-XTP	A5191HRTLG-XTP	LQFP-32
HART Modem	12197-508-XTD	A5191HRTPG-XTD	PLCC-28
HART Modem	12197-508-XTP	A5191HRTPG-XTP	PLCC-28
Fieldbus MAU Transceiver	19699-002-XTD	AMIS-49200-XTD	LQFP-44
Fieldbus MAU Transceiver	19699-002-XTP	AMIS-49200-XTP	LQFP-44
Fieldbus MAU Transceiver	19699-004-XTD	AMIS-49250-XTD	NQFP-44
Fieldbus MAU Transceiver	19699-004-XTP	AMIS-49250-XTP	NQFP-44
High Side Drivers			
Octal High-Side Driver	OPNPB-003-XTD	AMIS39100PNPB3G	SOIC-28
Octal High-Side Driver	OPNPB-003-XTP	AMIS39100PNPB3RG	SOIC-28
Octal High Side Driver	OPNPB-004-XTD	AMIS39101PNPB4G	SOIC-28
Octal High Side Driver	OPNPB-004-XTP	AMIS39101PNPB4RG	SOIC-28

Description	Previous AMI Semiconductor Part Number	Current ON Semiconductor Part Number	Package
Stepper Motor Drivers			
Stepper Motor Driver	OC521-002-XTD	AMIS30521C5212G	NQFP-32
Stepper Motor Driver	OC522-002-XTD	AMIS30522C5222G	NQFP-32
Stepper Motor Driver with LIN	OC623-009-XTD	AMIS30623C6239G	SOIC-20
Stepper Motor Driver with LIN	OC623-009-XTP	AMIS30623C6239RG	SOIC-20
Stepper Motor Driver with LIN	OC623-010-XTD	AMIS30623C623AG	NQFP-32
Stepper Motor Driver with I2C	OC624-004-XTD	AMIS30624C6244G	SOIC-20
Stepper Motor Driver with I2C	OC624-004-XTP	AMIS30624C6244RG	SOIC-20
Stepper Motor Driver with I2C	OC624-005-XTD	AMIS30624C6245G	NQFP-32
Stepper Motor Driver with I2C	OC624-005-XTP	AMIS30624C6245RG	NQFP-32
Audio DSPs			
BelaSigna 200	OW344-004-XTP	OW344-004-XTP	QFN-52
BelaSigna 200	OW344-005-XTP	OW344-005-XTP	QFN-52
BelaSigna 200	OW588-002-XUA	OW588-002-XUA	WLCCSP
BelaSigna 250	OW633-001-XTP	OW633-001-XTP	CABGA
BelaSigna 250	OW888-002-XTP	OW888-002-XTP	LFBGA
Power-over-Ethernet DC-DC			
PoE-PD 13 W DC-DC	OHIPO-001-XTD	NCP1080DEG	TSSOP-20
PoE-PD 13 W DC-DC	OHIPO-001-XTP	NCP1080DER2G	TSSOP-20
PoE-PD 40 W DC-DC	OHIPO-002-XTD	NCP1081DEG	TSSOP-20
PoE-PD 40 W DC-DC	OHIPO-002-XTP	NCP1081DER2G	TSSOP-20

Sales and Design Assistance from ON Semiconductor

ON Semiconductor Distribution Partners

AMSC Co.	www.amsco.jp	(81) 422 54 6622
Arrow Electronics	www.arrow.com	(800) 777-2776
Avnet	www.em.avnet.com	(800) 332-8638
Digi-Key	www.digikey.com	(800) 344-4539
EBV Elektronik	www.ebv.com/en/locations.html	(49) 8121 774-0
Fuji Electric Co.	www.fujiele.co.jp	(81) 3 3814 1411
Future & FAI Electronics	www.futureelectronics.com/contact	1-800-FUTURE1 (388-8731)
KH Electronics Inc.	www.khelec.com/kor	(82) 42 471 8521
Marubun	www.marubun.co.jp	(81) 3 3639 5630
Mouser Electronics	www.mouser.com	(800) 346-6873
Newark/Farnell	www.farnell.com/onsemi	(800) 4-NEWARK
NU Horizons	www.nuhorizons.com	(800) 275-8488
Promate Electronic Co.	www.promate.com.tw	(886) 2 2659 0303
Segyung Bristestone Co.	www.bristestone.com	(82) 2 3218 1511
Serial Microelectronics, HK	www.serialsys.com.hk	(852) 2790 8220
Tokyo Electron Device Co.	hwww.teldevice.co.jp	(81) 45 443 4000
World Peace Industries Co.	www.wpi-group.com	(852) 2365 4860
WT Microelectronics Co.	www.wtmec.com	(852) 2950 0820
Yosun Electronics	www.yosun.com.tw	(886) 2 2659 8168

For a comprehensive listing of
ON Semiconductor Sales Offices, please visit:
www.onsemi.com/salesupport

INTERNATIONAL

GREATER CHINA	Beijing	86-10-8518-2323
	Chengdu	86-28-8678-4078
	Hong Kong	852-2689-0088
	Shenzhen	86-755-8209-1128
	Shanghai	86-21-5131-7168
	Taipei, Taiwan	886-2-2377-9911
FRANCE	Paris	33 (0)1 39-26-41-00
GERMANY	Munich	49 (0) 89-93-0808-0
INDIA	Bangalore	91-80-2532-5084
ISRAEL	Herzlia	972 (0) 9-9609-111
ITALY	Milan	39 02 9239311
JAPAN	Tokyo	81-3-5773-3850
KOREA	Seoul	82-2-2190-3500
MALAYSIA	Penang	60-4-226-9368
SINGAPORE	Singapore	65-6391-1260
SLOVAKIA	Piestany	421 33 790 2450
UNITED KINGDOM	Slough	44 (0) 1753 70 1676

AMERICAS REP FIRMS

Alabama	Huntsville	e-Components	(256) 533-2444
Arizona	Tempe	Centaur	(480) 839-2320
Brazil	Countrywide	Ammon & Rizos	(+55) 11-4688-1960
California	Bay Area	L2	(408) 433-9388
	Calabasas	Centaur	(818) 878-5800
	Irvine	Centaur	(949) 261-2123
	San Diego	Centaur	(858) 278-4950
	Simi Valley	Centaur	(805) 579-0519
Canada	Eastern Canada	Astec	(905) 607-1444
	Western Canada	Sifore	(503) 977-6267
Connecticut	Statewide	Genesis Associates	(781) 270-9540
Delaware	Statewide	S.J. Mid-Atlantic	(856) 866-1234
Florida	Statewide	e-Components	(888) 468-2444
Georgia	Atlanta	e-Components	(888) 468-2444
Idaho	Eagle	First Source of Idaho, Inc.	(800) 282-9855
Illinois	Hoffman Estates	Stan Clothier	(847) 781-4010
	Palatine	HLC Ltd.	(847) 358-6500
Indiana	Fishers	Bear VAI	(317) 570-0707
Iowa	Cedar Rapids	Essig & Associates	(319) 363-8703
	Cedar Rapids	Stan Clothier	(319) 393-1576
Kansas	Overland Park	Stan Clothier	(913) 894-1675
Maryland	Columbia	Third Wave Solutions	(410) 290-5990
Massachusetts	Burlington	Genesis Associates	(781) 270-9540
Mexico	Countrywide	Phoenix Rep	(+52) 33-3123-9198
Michigan	St. Joseph	Bear VAI	(440) 526-1991
Minnesota	Eden Prairie	Stan Clothier	(952) 944-3456
Missouri	St. Charles	Stan Clothier Company	(636) 916-3777
New Jersey	Mount Laurel	S.J. Mid-Atlantic	(856) 866-1234
	Statewide	S.J. Metro	(516) 942-3232
New York	Binghamton	TriTech - Full Line Rep	(607) 722-3580
	Jericho	S.J. Metro	(516) 942-3232
	Rochester	TriTech - Full Line Rep	(585) 385-6500
	Statewide	S.J. Mid-Atlantic	(856) 866-1234
North Carolina	Raleigh	e-Components	(888) 468-2444
	Brecksville	Bear VAI Technology	(440) 526-1991
Ohio	Portland	SiFore Technical	(503) 977-6267
Pennsylvania	Statewide	S.J. Mid-Atlantic	(856) 866-1234
Puerto Rico	Countrywide	e-Components	(888) 468-2444
Texas	Austin	West Associates	(512) 343-1199
	Houston	West Associates	(832) 717-3774
	Richardson	West Associates	(972) 680-2800
Washington	Bellevue	SiFore Technical	(425) 990-4701
Wisconsin	Evansville	Stan Clothier	(608) 882-0686
	Statewide	HLC Ltd.	(847) 358-6500

Dec 08

ON Semiconductor and the ON logo are registered trademarks of Semiconductor Components Industries, LLC (SCILLC). SCILLC reserves the right to make changes without further notice to any products herein. SCILLC makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does SCILLC assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. "Typical" parameters which may be provided in SCILLC data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. SCILLC does not convey any license under its patent rights nor the rights of others. SCILLC products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the SCILLC product could create a situation where personal injury or death may occur. Should Buyer purchase or use SCILLC products for any such unintended or unauthorized application, Buyer shall indemnify and hold SCILLC and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that SCILLC was negligent regarding the design or manufacture of the part. SCILLC is an Equal Opportunity/Affirmative Action Employer. This literature is subject to all applicable copyright laws and is not for resale in any manner.

PUBLICATION ORDERING INFORMATION

LITERATURE FULFILLMENT:

Literature Distribution Center for ON Semiconductor
P.O. Box 5163, Denver, Colorado 80217 USA
Phone: 303-675-2175 or 800-344-3860 Toll Free USA/Canada
Fax: 303-675-2176 or 800-344-3867 Toll Free USA/Canada
Email: orderlit@onsemi.com

N. American Technical Support: 800-282-9855 Toll Free
USA/Canada.

Europe, Middle East and Africa Technical Support:
Phone: 421 33 790 2910

Japan Customer Focus Center
Phone: 81-3-5773-3850

ON Semiconductor Website: www.onsemi.com

Order Literature: <http://www.onsemi.com/orderlit>

For additional information, please contact your local
Sales Representative