IPC ASSOCIATION ELECTRONIC	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights international and Pan-American copyright conventions.			nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering the declaration of the substances within the manufacturer listed item. Note: if the item level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering the declaration of the substances within the manufacturer listed item. Note: if the item level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering the declaration of the substances within the manufacturer listed item.									
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Typhttp://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					eous Materia	ials and Mfg Information				
upplier	r Information														
Company name*				Company unique ID			Unique ID Authority					Response Date*			
nsemi											2025-06-05				
ontact N	ame	Title - Conta	Title - Contact			Phone - Contact*					Email - Contact*				
roduct-F	Env-Stewards	Product Enviro Compliance			1	NA					Product-Env-Stewards@onsemi.com				
uthorize	d Representative*	Title - Representative			I	Phone - Representative*				Email - Representative*					
roduct-I	Env-Stewards	Product Env	Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr		em Number Mfr Item Name				Effective Date	Versi	on	Manufacturing Site		1	Weight*	UOM	Unit Type
		1N5234BTR 6.2V 500MW 5%		ZENER DO3	5	2025-06-05 CN2			1	109.66989	mg	Each			
lanufa	cturing Process Inform		Terminal Base	Alloy	-STD-020 MS	I Rating	Peak Proc	ress Rod	y Temperat	ure May Ti	me at Peak '	Temperat	ure Numbe	r of Reflow Cyo	cles
	8 - a a a a a a a a a a a a a a a a a a		CU Alloy NA			nd Ruting	Peak Process Body Temperature   Max T		me at reak	seconds 3		of Kenow Cy	2103		
omments	·		CC 12235	1	·					150		Jecon	<u> </u>		
,,,,,,,,															
r more i	information regarding materia	al composition	nlease refer to	n nage 3											

RoHS Material Composition Declaration			Declaration 7	Гуре *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Itability and the Company's remedies for issues that arise regarding information the Supplier provides in this fo											
RoHS Declaration * 4 - Item(s	does not contain RoHS restricted substances	per the definition above except for sele	ted exemptions	Supplier Acceptance	* Accepted						
Exemption: 7c-I Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.											
Supplier Digital Signature Ra	astislav Drska	E									

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
CSS Wire	75.0	mg	Supplier	Iron (Fe)	7439-89-6		63.75	mg
			Supplier	Copper (Cu)	7440-50-8		11.25	mg
Die	0.024358	mg	Supplier	Titanium (Ti)	7440-32-6		0	mg
			Supplier	Silver (Ag)	7440-22-4		0.0115	mg
			Supplier	Silicon (Si)	7440-21-3		0.0127	mg
			В	Nickel (Ni)	7440-02-0		0.0001	mg
Dumet Wire	8.5	mg	Supplier	Manganese (Mn)	7439-96-5		0.085	mg
			Supplier	Silicon (Si)	7440-21-3		0.0595	mg
			В	Nickel (Ni)	7440-02-0		2.6775	mg
			Supplier	Iron (Fe)	7439-89-6		3.6805	mg
			Supplier	Copper (Cu)	7440-50-8		1.9975	mg
Glass Encapsulation	23.5	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		0.705	mg
			A	Lead Oxide (PbO)	1317-36-8	7c	14.382	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.0118	mg
			Supplier	Potassium Monoxide (K2O)	12136-45-7		0.8813	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		7.52	mg
Marking Ink	0.01953	mg	Supplier	Titanium Dioxide (TiO2)	13463-67-7		0.004	mg
			Supplier	Formaldehyde, polymer with 4,4-(1-methylethylidene)bisphenol	25085-75-0		0.0052	mg
			Supplier	Proprietary	Proprietary Data		0.0009	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.001	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0013	mg
			Supplier	Diethylene glycol 2-ethyhexyl-ether	1559-36-0		0.0025	mg
			Supplier	Amino Resin	68002-20-0		0.0033	mg
			Supplier	2,2,4-Trimethyl-1,3-pentanediol di is Obutyrate	6846-50-0		0.0013	mg
Plating	2.626	mg	Supplier	Tin (Sn)	7440-31-5		2.626	mg