ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	ial Composition D ight 2005. IPC, Bannoc onal and Pan-American	eclaration kburn, Illinois. A copyright conve	All rights reserved untions.	under both le	This docume evel parts, th	nt is a declaration ne declaration er	on of the substan	ces within the nower level mate	manufacturer rials for whi	r listed item. N ch the manufa	lote: if the cturer has	item is an ass engineering r	embly with low esponsibility.	
(5) () () () () () () () () () () () () ()	IPC Web Site for Information on IPC-1752 Standard Form			Form Type * Distribute	e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mate				ous Material	rials and Mfg Information				
upplier Information														
ompany name*	Company ur	Company unique ID			Unique ID Authority				Response Date*					
nsemi									2025-06-04					
ontact Name	Title - Conta	Title - Contact			Phone - Contact*				Email - Contact*					
Product-Env-Stewards	Product Env	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
uthorized Representative*	Title - Repre	Title - Representative			Phone - Representative*				Email - Representative*					
roduct-Env-Stewards	Product Env	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Requester Item Num	er Item Number Mfr Iten		n Number Mfr Item Name			Effective Date	Version	Manufacturing Site		Weigh	t*	UOM	Unit Type	
	AFGY	AFGY120T65SPD FS3 IGBT 650V/ Diode		/120A and Auto St	tealth	2025-06-04 CPA			5544.5	9	mg	Each		
Ianufacturing Proccess	Information													
Terminal Plating / Grid Array Material		Terminal Base Alloy J-STD-020 M		J-STD-020 MSL I	Rating	Peak Process Body Temperature		ature Max Tir	ne at Peak T	emperature 1	Number of	f Reflow Cycl	es	
Matte Tin (Sn) - annealed		CU Alloy NA		NA		0	0 C 30			seconds	3			
omments														
or more information regardin	ng material compositio	n please refer t	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in ifies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted					
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).							
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the					
Supplier Digital Signature	astislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	12.65	mg	Supplier	Silicon (Si)	7440-21-3		12.65	mg
Die Attach Solder	20.87	mg	Supplier	Silver (Ag)	7440-22-4		0.5218	mg
			А	Lead (Pb)	7439-92-1	7a	19.3048	mg
			Supplier	Tin (Sn)	7440-31-5		1.0435	mg
Lead Frame	3643.9	mg	Supplier	Zinc (Zn)	7440-66-6		1.4576	mg
			В	Nickel (Ni)	7440-02-0		119.1555	mg
			Supplier	Iron (Fe)	7439-89-6		2.1863	mg
			Supplier	Copper (Cu)	7440-50-8		3520.0071	mg
			Supplier	Phosphorus (P)	7723-14-0		1.0932	mg
Mold Compound-Black	1759.15	mg	Supplier	Polymer(phenyl glycidil ether)-co- dicyclopentadiene	119345-05-0		87.9575	mg
			Supplier	Proprietary	Proprietary Data		87.9575	mg
			Supplier	Carbon Black (C)	1333-86-4		8.7957	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		79.1618	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		1319.3625	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		87.9575	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		87.9574	mg
Plating	77.82	mg	Supplier	Tin (Sn)	7440-31-5		77.82	mg
Wire Bond - Al	30.2	mg	Supplier	Aluminum (Al)	7429-90-5		30.2	mg