©	faterial Composit Copyright 2005. IPC, I ternational and Pan-Am	Bannockb	ourn, Illinois. A	ll rights reserved nations.	under both	This docume level parts, t	ent is a declarat he declaration e	ion of the su	ubstances v s all lower	within the manufactu level materials for v	rer listed i which the n	tem. Note: nanufacture	if the item is an as er has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information				
Supplier Information	on														
Company name*			Company unique ID			-	Unique ID Authority				Respons	Response Date*			
onsemi											2024-05	2024-05-01			
Contact Name			Title - Contact				Phone - Contact*				Email -	Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative				Phone - Representative*			Email - Representative*					
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Requester Ite	Requester Item Number Mfr Iten		n Number Mfr Item Name				Effective Date	Version	rsion Manufacturing Site		,	Weight*	UOM	Unit Type	
		AMIS42700WCGA4R Dual CAN HS T H		ranse.		2024-05-01		P.	PHG		612.57	mg	Each		
Ianufacturing Pro	ccess Information	I													
Terminal Plati	ninal Plating / Grid Array Material Terminal Base		lloy J-STD-020 MSL Rating		L Rating	Peak Process Body Temperature Max		e Max Time at Peal	ak Temperature Number of Reflow Cycles		eles				
Matte Tin (Sn) - annealed			U Alloy 2			260 C		30	seconds 3						
omments															
TTENTION: MSL 2 R	ated item requires Dr	y Pack (a	after electrical	test)											
or more information re	garding material com	position	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	35.93	mg	Supplier	Silicon (Si)	7440-21-3		35.93	mg	
Die Attach	6.55	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		1.5065	mg	
			Supplier	Silver (Ag)	7440-22-4		5.0435	mg	
Lead Frame	188.57	mg	Supplier	Zinc (Zn)	7440-66-6		0.1886	mg	
			Supplier	Iron (Fe)	7439-89-6		4.3371	mg	
			Supplier	Copper (Cu)	7440-50-8		183.8558	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.1886	mg	
Mold Compound-Black	377.0	mg		Epoxy Phenol Resin	proprietary data		39.585	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		337.415	mg	
Plating	3.7	mg	Supplier	Tin (Sn)	7440-31-5		3.7	mg	
Wire Bond - Au	0.82	mg	Supplier	Gold (Au)	7440-57-5		0.82	mg	