ASSOCIATION	Material Compo © Copyright 2005. IF international and Pan	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
1752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information				
Supplie	r Information														
Company name* Comp				Company unique ID			Unique ID Authority					Response Date*			
nsemi											2024-04-19				
Contact N	lame		Title - Contact			1	Phone - Contact*					Email - Contact*			
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorize	ed Representative*		Title - Representative			1	Phone - Representative*				Email - Representative*				
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item		n Number Mfr Item Name			Effective Da	Effective Date Version Manufacturing Si		uring Site	Weight*		UOM	Unit Type		
		AR0234CSSM00SUK 2MP 1/3 CIS SO A0-CP				2024-04-19 TWU				82.3612		mg	Each		
Ianufa	cturing Proccess Informat	ion													
	Ferminal Plating / Grid Array Material		Cerminal Base Alloy J-STD-020 MS		-STD-020 MSI	Rating	Peak Pro	k Process Body Temperatur		re Max 7	Time at Peak Tempera		ire Num	ber of Reflow Cyc	les
SnAgCu		CU Alloy 4			245 C		30		second	ls 3					
omments	3														
or more	information regarding material of	composition ]	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU												
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	19.54	mg	Supplier	Silicon (Si)	7440-21-3		19.54	mg
Glass Attach Epoxy	0.0012	mg	Supplier	Imidazole	288-32-4		0.0003	mg
			Supplier	Epoxy Phenol Novolak Resin	28064-14-4		0.0009	mg
Glass Lid /Cap	54.35	mg	Supplier	Glass	65977-17-3		54.35	mg
nsulating Layer	5.51	mg	Supplier	9-Phenylacridine	602-56-2		0.2755	mg
			Supplier	2-Propenoic acid	1245638-61-2		1.653	mg
			Supplier	Other Additive Agents	Proprietary Data		3.306	mg
			Supplier	Butylglycol Acetate	112-07-2		0.2755	mg
Passivation	1.22	mg		Epoxy resin	proprietary data		0.0183	mg
			Supplier	Coupling Agent	Proprietary Data		0.0244	mg
			Supplier	Modified SBR Rubber	Proprietary Data		0.0061	mg
			Supplier	Melamine Compound	Proprietary Data		0.0366	mg
			Supplier	Trispenol Compound	Proprietary Data		0.0366	mg
			Supplier	Photosensitizer	Proprietary Data		0.0976	mg
			Supplier	Hydroxystyrene Resin	Proprietary Data		0.2684	mg
			Supplier	Ethyl Lactate	97-64-3		0.732	mg
RDL	0.82	mg	В	Nickel (Ni)	7440-02-0		0.492	mg
			Supplier	Gold (Au)	7440-57-5		0.0082	mg
			Supplier	Copper (Cu)	7440-50-8		0.3198	mg
older Ball	0.92	mg	Supplier	Silver (Ag)	7440-22-4		0.0611	mg
			Supplier	Tin (Sn)	7440-31-5		0.8181	mg
			Supplier	Copper (Cu)	7440-50-8		0.0408	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).