ASSOCIATION CONNECTING ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® international and Par	PC. Bannockl	urn Illinois A	ll rights reserved untions.	under both	This docume level parts, t	ent is a declaration entries the declaration entries and t	on of the su	bstances v all lower	vithin the manufactu level materials for w	rer listed which the 1	item. Note: nanufacture	if the item is an as er has engineering	sembly with low responsibility.	
				Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					ials and N	als and Mfg Information			
upplier Information														
Company name*			Company unique ID			Unique ID Authority				Respon	Response Date*			
nsemi											2024-04-20			
ontact Name Title - Contact			et		Phone - Contact*				Email - Contact*					
Product-Env-Stewards Product Env.			viro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Represen			entative		Phone - Representative*			Email - Representative*						
Product-Env-Stewards Pro			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Numbe		Number Mfr Item Name			Effective Date	Effective Date Version Manufacturing Site		lanufacturing Site		Weight*	UOM	Unit Type	
	CPH602	CPH6020-TL-E BIP NPN 0.15A 8V		8V fT=16G	-16G 2024			CI	CNG		14.74	mg	Each	
Ianufacturing Proccess Informa	tion													
Terminal Plating / Grid Array M	minal Plating / Grid Array Material Terminal Base		Alloy	J-STD-020 MSL Rating		Peak Process Body Temperature N		e Max Time at Peak	Tempera	ture Num	ber of Reflow Cyc	les		
contains Bi CU Alloy		CU Alloy	1			260 C		С	30 seco		seconds 3			
omments														
vel 1 - maximum time at peak temperatu	ure during so	dering is 10-3	0 seconds											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.04	mg	Supplier	Silicon (Si)	7440-21-3		0.04	mg
Lead Frame	7.58	mg	Supplier	Silver (Ag)	7440-22-4		0.1599	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0144	mg
			В	Nickel (Ni)	7440-02-0		0.0273	mg
			Supplier	Iron (Fe)	7439-89-6		0.1918	mg
			Supplier	Copper (Cu)	7440-50-8		7.176	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0106	mg
Mold Compound-Black	6.67	mg		Brominated epoxy resin	proprietary data		0.05	mg
			Supplier	Epoxy Phenol Resin	Proprietary Data		0.4869	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.1334	mg
			Supplier	Carbon Black (C)	1333-86-4		0.05	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		5.2826	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.667	mg
Plating	0.43	mg	В	Bismuth (Bi)	7440-69-9		0.0026	mg
			Supplier	Tin (Sn)	7440-31-5		0.4274	mg
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).