ASSOCIATION CONNECTING LECTRONICS INDUSTRIES	PC. Bannockl	burn. Illinois. A	Ill rights reserved untions.	under both	This docume level parts, t	ent is a declarat he declaration e	on of the suncompasse	ubstances s all lowe	within the manu r level materials	facturer liste for which the	d item. Note: e manufacture	if the item is an as r has engineering	ssembly with lower responsibility.	
	.1 IPC Web Site for Information on IPC-1752 Standard Form Distri				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					Aaterials and	als and Mfg Information			
Supplier Information														
Company name*	Company un	Company unique ID			Unique ID Authority					Response Date*				
onsemi							2			2024-	2024-05-02			
Contact Name Title - Contact			t			Phone - Contact*				Emai	Email - Contact*			
Product-Env-Stewards Product			oduct Enviro Compliance			NA				Prod	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Re			- Representative			Phone - Representative*			Emai	Email - Representative*				
Product-Env-Stewards Prod			Product Enviro Compliance			NA				Prod	Product-Env-Stewards@onsemi.com			
Requester Item Number	er Item Number Mfr Item N		Number Mfr Item Name			Effective Date	Version	1	Manufacturing Site		Weight*	UOM	Unit Type	
	FAN660	FAN6604MRMX Green Mod		Mode PWM Cntlr		2024-05-02			TAD		80.99889	mg	Each	
Manufacturing Proccess Informa	tion													
Terminal Plating / Grid Array M	/ Grid Array Material Terminal Base A		Alloy	J-STD-020 MSL Rating		Peak Proc	Peak Process Body Temperature		are Max Time at Peak Tempera		mperature Number of Reflow Cycles		cles	
Matte Tin (Sn) - annealed CU Allo		CU Alloy	1			260 C 30		30	sec	seconds 3				
Comments														
evel 1 - maximum time at peak temperat	ire during so	ldering is 10-3	0 seconds											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.38	mg	Supplier	Silicon (Si)	7440-21-3		2.38	mg
Die Attach	0.064696	mg	Supplier	Silver (Ag)	7440-22-4		0.0505	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0142	mg
Lead Frame	25.9192	mg	Supplier	Silver (Ag)	7440-22-4		0.2074	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0259	mg
			Supplier	Iron (Fe)	7439-89-6		0.5443	mg
			Supplier	Copper (Cu)	7440-50-8		25.1157	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0259	mg
Mold Compound-Black	50.124	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		6.0149	mg
			Supplier	Carbon Black (C)	1333-86-4		0.5012	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		42.6054	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		1.0025	mg
Plating	2.43	mg	Supplier	Tin (Sn)	7440-31-5		2.43	mg
Wire Bond - Au	0.081	mg	Supplier	Gold (Au)	7440-57-5		0.081	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).