ASSOCIATION CONNECTIN ELECTRONICS INDUSTRIE	Material Composi © Copyright 2005. IPC, international and Pan-Ar	Bannockb	urn, Illinois. A	ll rights reserved un ntions.	nder both	This docume level parts, t	ent is a declaration	ion of the s encompasse	ubstances es all lowe	within the manufactu r level materials for w	rer listed	item. Note: if nanufacturer	the item is an as has engineering	ssembly with lower responsibility.	
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi 					als and Mfg Information					
Supplier Inform	ation														
Company name*			Company unique ID				Unique ID Authority					Response Date*			
onsemi											2025-00	2025-06-06			
Contact Name			Title - Contact				Phone - Contact*				Email - Contact*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative				Phone - Representative*				Email - Representative*				
Product-Env-Stewa	ırds	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Requeste	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Date	Date Version Manufacturing Site			Weight*	UOM	Unit Type		
		FAN73896MX 3Ch. HB Gate		3Ch. HB Gate Dri	Driver		2025-06-06		7	TAD		783.9898	mg	Each	
Manufacturing	Proccess Information	n													
Terminal Plating / Grid Array Material Ter			erminal Base Alloy J-STD-020 MSL		L Rating	Peak Process Body Temperature Ma		re Max Time at Peak	Tempera	ture Numbe	er of Reflow Cy	cles			
Matte Tin (Sn) - annealed CU			U Alloy	Alloy 3			260 C 30		30	seconds 3					
Comments															
ATTENTION: MSI	. 3 Rated item requires Ba	ake and D	ry Pack (after	electrical test)											
or more informati	on regarding material con	position	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	37.789	mg	Supplier	Silicon (Si)	7440-21-3		37.789	mg
Die Attach	0.6272	mg		Epoxy resin	proprietary data		0.0627	mg
			Supplier	Silver (Ag)	7440-22-4		0.5018	mg
			Supplier	Formaldehyde Polymer	9003-36-5		0.0627	mg
Lead Frame	250.872	mg	Supplier	Silver (Ag)	7440-22-4		1.498	mg
			Supplier	Zinc (Zn)	7440-66-6		0.376	mg
			Supplier	Iron (Fe)	7439-89-6		5.268	mg
			Supplier	Copper (Cu)	7440-50-8		243.3541	mg
			Supplier	Phosphorus (P)	7723-14-0		0.3759	mg
Mold Compound-Black	470.4	mg		Epoxy resin	proprietary data		23.52	mg
			Supplier	Phenol Resin	Proprietary Data		18.816	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		47.04	mg
			Supplier	Carbon Black (C)	1333-86-4		4.704	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		376.32	mg
Plating	23.5176	mg	Supplier	Tin (Sn)	7440-31-5		23.5176	mg
Wire Bond - Au	0.784	mg	Supplier	Gold (Au)	7440-57-5		0.784	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).