IPC ASSOCIATION ELECTRONICS	Material Com © Copyright 2005. international and P	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowe level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e *	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mfg Information			
upplier	Information														
Company name* Company unique				que ID Uniqu			Unique ID Authority				Response Date*				
nsemi												2025-09-10			
Contact Na	me	Title - Conta	Title - Contact			Phone - Contact*					Email - Contact*				
Product-E	nv-Stewards		Product Env	Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com			
uthorized	Representative*	Title - Representative]	Phone - Representative*					Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com			
	Requester Item Number			Mfr Item Name			Effective Dat	e Vers	ion	Manufacturii	ufacturing Site		Weight*	UOM	Unit Type
				SF2 800V 220mOl	mOhm E TO220F		2025-09-10	99-10 CPA			2	2107.333	mg	Each	
	turing Proccess Inform		Terminal Base	Alloy	STD-020 MS	SI Pating	Pank Pro	cass Rod	y Tamparat	ıra May Tin	na at Daak '	Tamparat	ura Numba	r of Poflow Cyc	alac
Š ,		CU Allov NA			L Raing	0	Ak Process Body Temperature Max Time at P		ic at i cak	seconds 3		les			
omments	matte 1 m (Dn) - amicaleu		CCTIIIOy	1			Į v			150		Secon	us 3		
Jimients															
or more in	nformation regarding materia	al composition	nlesse refer to	n naga 3											

RoHS Material Composition Declaration			Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (100 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its paragraph. If the Company and the Supplier supplier have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Standard Terms and Conditions of Sale applicable to suc										
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	s per the definition above except for selected exemp	tions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.										
Supplier Digital Signature Ra	astislav Drska	-En								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	13.5	mg	Supplier	Silicon (Si)	7440-21-3		13.5	mg
Die Attach	4.013	mg	Supplier	Silver (Ag)	7440-22-4		0.0602	mg
			A	Lead (Pb)	7439-92-1	7a	3.7522	mg
			Supplier	Tin (Sn)	7440-31-5		0.2007	mg
Lead Frame	1289.5	mg	Supplier	Silver (Ag)	7440-22-4		2.579	mg
			Supplier	Iron (Fe)	7439-89-6		1.2895	mg
			Supplier	Copper (Cu)	7440-50-8		1285.2446	mg
			Supplier	Phosphorus (P)	7723-14-0		0.3868	mg
Mold Compound	785.0		Supplier	Polymer(phenyl glycidil ether)-co- dicyclopentadiene	119345-05-0		23.55	mg
			Supplier	Proprietary	Proprietary Data		11.775	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		39.25	mg
			Supplier	Carbon Black (C)	1333-86-4		3.925	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		117.75	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		39.25	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		549.5	mg
Plating	13.2	mg	Supplier	Tin (Sn)	7440-31-5		13.2	mg
Wire Bond - Al	2.12	mg	Supplier	Aluminum (Al)	7429-90-5		2.12	mg