	CONNECTING CS INDUSTRIES (S INDUSTRIES) (NDUSTRIES) (NDUSTRIES)	PC, Bannockb	ourn, Illinois. A	All rights reserved u ntions.	nder both	This docume level parts, t	ent is a declarat he declaration e	on of the sul ncompasses	bstances v all lower	vithin the manufact level materials for	turer listed which the	item. Note: if manufacturer	the item is an as has engineering	ssembly with lowe responsibility.	
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				erials and N	als and Mfg Information					
Supplie	r Information														
Company name* Co				Company unique ID			Unique ID Authority				Respon	Response Date*			
onsemi											2024-0	2024-05-11			
Contact Name			Title - Contact				Phone - Contact*				Email	Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
uthorize	ed Representative*		Title - Representative				Phone - Representative*				Email	Email - Representative*			
Product-	Env-Stewards		Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
			n Number Mfr Item Name				Effective Date	Version	Version Manufacturing Site			Weight*	UOM	Unit Type	
			SF2 600V 600mo	nohm f TO220F		2024-05-11 CF		СРА		2106.502	mg	Each			
/Ianufa	ecturing Proccess Information	tion													
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-020 N		-STD-020 MS	L Rating	Peak Process Body Temperat		mperature	Max Time at Pea	ık Tempera	ature Numbe	er of Reflow Cy	cles	
	Matte Tin (Sn) - annealed		CU Alloy NA		NA		0 C		30	seco	onds 3				
omments	8														
or more	information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified information. However, in situations where Supplier has not ndependently verified information provided by others, Supplier agrees that, at a minimum, itsuppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of hat agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in											
RoHS Declaration * 4 - Item(	s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature	astislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	13.5	mg	Supplier	Silicon (Si)	7440-21-3		13.5	mg
Die Attach	4.013	mg	Supplier	Silver (Ag)	7440-22-4		0.0602	mg
			А	Lead (Pb)	7439-92-1	7a	3.7522	mg
			Supplier	Tin (Sn)	7440-31-5		0.2007	mg
Lead Frame	1289.5	mg	Supplier	Silver (Ag)	7440-22-4		2.579	mg
			Supplier	Iron (Fe)	7439-89-6		1.2895	mg
			Supplier	Copper (Cu)	7440-50-8		1285.2446	mg
			Supplier	Phosphorus (P)	7723-14-0		0.3868	mg
Mold Compound-Black	785.0	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		78.5	mg
			Supplier	Carbon Black (C)	1333-86-4		15.7	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		628	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		62.8	mg
Plating	13.2	mg	Supplier	Tin (Sn)	7440-31-5		13.2	mg
Wire Bond - Al	1.18	mg	Supplier	Aluminum (Al)	7429-90-5		1.18	mg
Wire Bond - Cu	0.109	mg	Supplier	Palladium (Pd)	7440-05-3		0.0022	mg
			Supplier	Copper (Cu)	7440-50-8		0.1068	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).