ASSOCIATION CONNECTING ELECTRONICS INDUSTRIESS International and Pa	IPC. Bannockl	ourn, Illinois, A	ll rights reserved untions.	under both	This docume level parts, t	ent is a declarati he declaration e	on of the su	bstances v all lower	vithin the manufactu level materials for v	rer listed in the rest of the	item. Note: nanufacture	if the item is an as r has engineering	sembly with low responsibility.	
IPC Web Site for Information on IPC-1752 Standard Fo			Form Type Distribute	e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				ials and N	ials and Mfg Information					
Supplier Information														
Company name* Comp			ompany unique ID			Unique ID Authority				Respon	Response Date*			
onsemi										2025-05	2025-05-13			
ontact Name Title - Contact			et				Phone - Contact*				Email - Contact*			
Product-Env-Stewards Product Env			viro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Repr			resentative			Phone - Representative*				Email - Representative*				
Product-Env-Stewards Pro			Product Enviro Compliance			NA				Produc	Product-Env-Stewards@onsemi.com			
Requester Item Number	Mfr Iten	n Number	Mfr Item Name			Effective Date	Date Version Manufacturing Site		lanufacturing Site		Weight*	UOM	Unit Type	
	FDMC7	AC7660S Nch er Trench FET C		ET Clipb		2025-05-13	РВВ			70.623	mg	Each		
Ianufacturing Proccess Information	ation							·						
Terminal Plating / Grid Array M	Iaterial 7	ial Terminal Base Alloy		J-STD-020 MSI	L Rating	Peak Proce	Process Body Temperature Max Time at Pea		c Tempera	ture Num	ber of Reflow Cyc	les		
Matte Tin (Sn) - annealed CU Alloy		CU Alloy		1		260		С	30	secoi	nds 3			
omments														
vel 1 - maximum time at peak temperat	ture during so	ldering is 10-3	0 seconds											
or more information regarding materia	l composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature	astislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Clip	8.097	mg	Supplier	Zinc (Zn)	7440-66-6		0.0097	mg	
			Supplier	Iron (Fe)	7439-89-6		0.1903	mg	
			Supplier	Copper (Cu)	7440-50-8		7.8946	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0024	mg	
Die	0.99	mg	Supplier	Silicon (Si)	7440-21-3		0.99	mg	
Die Attach Solder	1.989	mg	Supplier	Silver (Ag)	7440-22-4		0.0497	mg	
			А	Lead (Pb)	7439-92-1	7a	1.8398	mg	
			Supplier	Tin (Sn)	7440-31-5		0.0994	mg	
Lead Frame	20.211	mg	Supplier	Zinc (Zn)	7440-66-6		0.0243	mg	
			Supplier	Iron (Fe)	7439-89-6		0.475	mg	
			Supplier	Copper (Cu)	7440-50-8		19.7057	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0061	mg	
Mold Compound-Black	14.236	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.712	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.142	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		12.67	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.712	mg	
Plating	25.1	mg	Supplier	Tin (Sn)	7440-31-5		25.1	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).