ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INDUSTRIES® INDUSTRIES®	annockburn, Illinois. A	All rights reserved untions.	under both	This docume level parts, t	ent is a declaration	ion of the s encompasse	ubstances s all lowe	within the manufacture r level materials for v	rer listed i which the r	tem. Note: i nanufacturer	f the item is an as has engineering	sembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Ty http://www.ipc.org/IPC-175x Distribut			* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials an					rials and M	and Mfg Information			
Supplier Information													
Company name*	ique ID U			Unique ID Authority				Respon	Response Date*				
nsemi									2025-05-15				
Contact Name	ntact Name Title - Contact			]	Phone - Contact*				Email -	Email - Contact*			
roduct-Env-Stewards Product Enviro Compliance				NA	NA			Produc	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative				Phone - Representative*				Email - Representative*					
Product-Env-Stewards Product Enviro Co			o Compliance			NA				Product-Env-Stewards@onsemi.com			
Requester Item Number N	Afr Item Number	Mfr Item Name			Effective Date	e Version	N	Manufacturing Site		Weight*	UOM	Unit Type	
F	FDMS3660S	S3660S erTrench erStage A			2025-05-15 PBB		РВВ		121.566	mg	Each		
Manufacturing Proccess Information													
Terminal Plating / Grid Array Material	l Terminal Base Alloy		J-STD-020 MSL	Rating	Peak Pro	Process Body Temperature Max Time at P		e Max Time at Peal	ik Temperature Number		er of Reflow Cyc	les	
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30	secor	nds 3			
Comments													
level 1 - maximum time at peak temperature du	ring soldering is 10-3	0 seconds											
For more information regarding material comp	osition please refer t	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chro	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).									
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the ROHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, itssuppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in the sole and exclusivesource of the Supplier's Itality and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms andConditions of Sale applicable to such part that apply plet.											
RoHS Declaration * 4 - Item(	s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature	astislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	19.1	mg	Supplier	Zinc (Zn)	7440-66-6		0.025	mg
			Supplier	Iron (Fe)	7439-89-6		0.458	mg
			Supplier	Copper (Cu)	7440-50-8		18.617	mg
Die	1.6	mg	Supplier	Silicon (Si)	7440-21-3		1.6	mg
Lead Frame	46.396	mg	Supplier	Silver (Ag)	7440-22-4		0.636	mg
			Supplier	Zinc (Zn)	7440-66-6		0.06	mg
			Supplier	Iron (Fe)	7439-89-6		1.1	mg
			Supplier	Copper (Cu)	7440-50-8		44.6	mg
Mold Compound-Black	43.59	mg		Epoxy resin	proprietary data		5.7975	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0872	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		37.7053	mg
Plating	8.33	mg	Supplier	Tin (Sn)	7440-31-5		8.33	mg
Solder Paste	1.936	mg	Supplier	Silver (Ag)	7440-22-4		0.0484	mg
			А	Lead (Pb)	7439-92-1	7a	1.7908	mg
			Supplier	Tin (Sn)	7440-31-5		0.0968	mg
Wire Bond	0.614	mg	Supplier	Palladium (Pd)	7440-05-3		0.019	mg
			Supplier	Gold (Au)	7440-57-5		0.0021	mg
			Supplier	Copper (Cu)	7440-50-8		0.5928	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).