© Copyright 2	omposition De 005. IPC, Bannockl nd Pan-American co	burn, Illinois. A	Il rights reserved untions.	under both	This docume level parts, th	ent is a declarati he declaration e	on of the su	ibstances v s all lower	within the manufactu level materials for v	arer listed i which the n	tem. Note: if nanufacturer	the item is an as has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute			*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia				rials and M	als and Mfg Information				
Supplier Information														
Company name* Compa			ompany unique ID			Unique ID Authority				Respons	Response Date*			
nsemi										2025-09	2025-09-12			
Contact Name Title - Conta			lact			Phone - Contact*				Email -	Email - Contact*			
Product-Env-Stewards Product En			ct Enviro Compliance			NA				Produc	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Repre			presentative			Phone - Representative*				Email -	Email - Representative*			
Product-Env-Stewards Product E			uct Enviro Compliance			NA				Produc	Product-Env-Stewards@onsemi.com			
Requester Item Number	Mfr Iten	n Number	Mfr Item Name		·	Effective Date	e Version Manufacturing Site			Weight*	UOM	Unit Type		
	FDMT8	FDMT80040DC FET		FET 40V 0.56 mOhms		2025-09-12		P	PBB		259.55383	mg	Each	
Ianufacturing Proccess Info	rmation													
Terminal Plating / Grid Arr	ninal Plating / Grid Array Material Terminal Base .		Alloy	loy J-STD-020 MSL Rating		Peak Process Body Temperature Max Time at Pea		k Temperature Number of Reflow Cycles						
Matte Tin (Sn) - annealed CU		CU Alloy	Alloy 1			260 C 30		30	seconds 3					
omments														
vel 1 - maximum time at peak temp	perature during so	Idering is 10-3	0 seconds											
or more information regarding mat	terial composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted					
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).							
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the					
Supplier Digital Signature	astislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	75.064	mg	Supplier	Silver (Ag)	7440-22-4		3.754	mg
			Supplier	Zinc (Zn)	7440-66-6		0.09	mg
			Supplier	Iron (Fe)	7439-89-6		1.802	mg
			Supplier	Copper (Cu)	7440-50-8		69.358	mg
			Supplier	Phosphorus (P)	7723-14-0		0.06	mg
Die	6.33566	mg	Supplier	Silicon (Si)	7440-21-3		6.3357	mg
Die Attach Solder	14.0725	mg	Supplier	Silver (Ag)	7440-22-4		0.3518	mg
			А	Lead (Pb)	7439-92-1	7a	13.0171	mg
			Supplier	Tin (Sn)	7440-31-5		0.7036	mg
Lead Frame	81.5831	mg	Supplier	Silver (Ag)	7440-22-4		4.0796	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0979	mg
			Supplier	Iron (Fe)	7439-89-6		1.9582	mg
			Supplier	Copper (Cu)	7440-50-8		75.3821	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0653	mg
Mold Compound-Black	65.6505	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		4.2801	mg
			Supplier	Carbon Black (C)	1333-86-4		0.1317	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		57.9463	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		3.2924	mg
Plating	8.43273	mg	Supplier	Tin (Sn)	7440-31-5		8.4327	mg
Wire Bond - Cu	8.41535	mg	Supplier	Palladium (Pd)	7440-05-3		0.1515	mg
			Supplier	Copper (Cu)	7440-50-8		8.2639	mg