IPC ASSOCIATION CONNECTINELECTRONICS INDUSTRIES	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			der both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				Form Type ³ Distribute	* Declaration Class * Class 6 - RoHS Yes/No. Homogeneous Mater					ials and Mfg Information			
upplier Inform	nation													
Company name*			Company unique ID			J	Jnique ID Auth		Response Date*					
nsemi											2025-09-03			
Contact Name		Title - Contact			I	Phone - Contact*				Email - Contact*				
Product-Env-Stewa	ards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
authorized Represe	entative*		Title - Representative			I	Phone - Representative*			Email - Representative*				
Product-Env-Stewa	ards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Requeste	Requester Item Number		Mfr Item Number Mfr Item		Ifr Item Name		Effective Date	Version	ion Manufacturing Site		Weig	ht*	UOM	Unit Type
		FDN359AN 30V N-FET 46 M		30V N-FET 46 MO	SSOT3		2025-09-03 MY1		1Y1	10.53	;	mg	Each	
	Plating / Grid Array Mate		arminal Resa	Alloy	STD-020 MSL	Pating	Dank Prop	ace Rody T	amparatur	e Max Time at Peak	Tamparatura	Numbo	er of Reflow Cyc	lac
			Terminal Base Alloy J-ST CU Alloy 1		31D-020 MSL	Raung	Peak Process Body Tem		T *	30		3	er of Reflow Cyc	ies
•	n (Sn) - anneaieu	C	O Alloy	1			200		IC	30	seconds	J		
omments	ima at neak tampat	a dunina!	domina ia 10.7	20 saconds										
	ime at peak temperature													
: more informatio	on regarding material co	omposition p	piease refer t	o page 3										

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its paragraph. If the Company and the Supplier have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier have provided as part of that agreement, will be the sole and exclusivesource of the Supplier's slability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.766	mg	Supplier	Silicon (Si)	7440-21-3		0.766	mg
Lead Frame	3.66		Supplier	Zinc (Zn)	7440-66-6		0.0044	mg
			Supplier	Iron (Fe)	7439-89-6		0.086	mg
			Supplier	Copper (Cu)	7440-50-8		3.5685	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0011	mg
Lead Frame plating	0.039	mg	Supplier	Silver (Ag)	7440-22-4		0.039	mg
Mold Compound-Black	5.697			Epoxy resin	proprietary data		0.2849	mg
			Supplier	Phenolic Resin	Proprietary Data		0.2849	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.1139	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0285	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		4.9849	mg
Plating	0.332	mg	Supplier	Tin (Sn)	7440-31-5		0.332	mg
Wire Bond - Cu	0.036	mg	Supplier	Copper (Cu)	7440-50-8		0.036	mg