52-21.1		formation on 1	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both nternational and Pan-American copyright conventions.			This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
ipplier Info	intip.//www.ipc.org	IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x Form Type Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				rials and Mfg I	ials and Mfg Information			
PPILOI IIII	formation													
Company name*			Company unique ID			U	Unique ID Authority				Response Date*			
onsemi											2024-05-01			
ontact Name	:	Title - Contact			P	Phone - Contact*			Email - Cor	Email - Contact*				
roduct-Env-St	Stewards	Product Enviro Compliance			ı	NA			Product-Env-Stewards@onsemi.com					
Authorized Representative*			Title - Representative			P	Phone - Representative*			Email - Rep	Email - Representative*			
roduct-Env-St	Stewards	Product Enviro Compliance			r	NA			Product-Env-Stewards@onsemi.com					
Req	Requester Item Number Mfr Ite		m Number Mfr Item Name				Effective Date	Version	Manufacturing Site		ight*	UOM	Unit Type	
		FGH75T65SQDT- F155 650V 75A FS4 TRE		RENCH IGBT	:	2024-05-01	СРА		545	6.925	mg	Each		
anufacturi	ring Proccess Informa	tion												
Terminal Plating / Grid Array Material			Γerminal Base Alloy J-STD-020 MSI		J-STD-020 MSL	Rating	Peak Process Body Temperature Max Time at Peak			Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed		CU Alloy NA		NA	0		0 C 30		seconds 3					
mments														

RoHS Material Composition Declaration			Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Itability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms andConditions of Sale applicable to such part shall apply.										
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	s per the definition above except for selected exemp	tions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.										
Supplier Digital Signature Ra	astislav Drska	-En								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	32.0	mg	Supplier	Silicon (Si)	7440-21-3		32	mg
Die Attach Solder	35.025		Supplier	Silver (Ag)	7440-22-4		0.8756	mg
			A	Lead (Pb)	7439-92-1	7a	32.3981	mg
			Supplier	Tin (Sn)	7440-31-5		1.7512	mg
Lead Frame	3612.9	_	Supplier	Iron (Fe)	7439-89-6		3.6129	mg
			Supplier	Copper (Cu)	7440-50-8		3608.2031	mg
			Supplier	Phosphorus (P)	7723-14-0		1.0839	mg
Mold Compound-Black	1740.0		Supplier	Ortho Cresol Novolac Resin	29690-82-2		130.5	mg
			Supplier	Carbon Black (C)	1333-86-4		8.7	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		1522.5	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		78.3	mg
Plating	31.0	mg	Supplier	Tin (Sn)	7440-31-5		31	mg
Wire Bond - Al	6.0	mg	Supplier	Aluminum (Al)	7429-90-5		6	mg