ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	position De IPC, Bannock an-American c	claration burn, Illinois. A opyright conve	All rights reserved ntions.	under both									e: if the item is an as rer has engineering			
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e *	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					rials and Mf	ials and Mfg Information				
Supplier Information																
Company name*	Company unique ID			1	Unique ID Authority					Respons	Response Date*					
onsemi											2025-06-	2025-06-01				
			Title - Contact			Phone - Contact*					Email -	Email - Contact*				
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com						
Authorized Representative* Title			Title - Representative			Phone - Representative*				Email - Representative*						
Product-Env-Stewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com						
Requester Item Number	Requester Item Number Mfr Item		n Number Mfr Item Name			Effective Da	ate Ve	ersion	sion Manufacturing Site		V	Veight*	UOM	Unit Type		
	FIN3380	FIN3386MTDX 28-bit Set		bit SerDes		2025-06-01		PH4		2	223.028 mg		Each			
Ianufacturing Proccess Inform	ation					1			1				1			
Terminal Plating / Grid Array M	Iaterial	Ferminal Base	Alloy	J-STD-020 MS	SL Rating	Peak Pr	Peak Process Body Temper		ture Max Time at Peak Ter		k Temperati	ture Number of Reflow Cycles		cles		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 2		2		260		С	30		second	seconds 3				
omments																
TTENTION: MSL 2 Rated item requir	es Dry Pack (after electrical	test)													
or more information regarding materia	l composition	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.05	mg	Supplier	Silicon (Si)	7440-21-3		2.05	mg
Die Attach	0.255	mg	Supplier	Silver (Ag)	7440-22-4		0.1912	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.0637	mg
Lead Frame	85.28	mg	Supplier	Silver (Ag)	7440-22-4		0.938	mg
			Supplier	Magnesium (Mg)	7439-95-4		0.128	mg
			Supplier	Silicon (Si)	7440-21-3		0.554	mg
			В	Nickel (Ni)	7440-02-0		2.56	mg
			Supplier	Copper (Cu)	7440-50-8		81.1	mg
Mold Compound-Black	125.9	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		12.59	mg
			Supplier	Carbon Black (C)	1333-86-4		1.259	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		112.051	mg
Plating	8.153	mg	Supplier	Palladium (Pd)	7440-05-3		0.228	mg
			В	Nickel (Ni)	7440-02-0		7.77	mg
			Supplier	Gold (Au)	7440-57-5		0.155	mg
Wire Bond - Au	1.39	mg	Supplier	Gold (Au)	7440-57-5		1.39	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).