ABSOCIATION CONNECTING ELECTRADICS INDUSTRIES INCOMPACTING	PC. Bannockt	ourn. Illinois. A	ll rights reserved un ntions.	nder both	This docum level parts, t	ent is a declaration er	n of the substar compasses all l	ces within the manufactu ower level materials for v	rer listed	item. Note: if manufacturer	the item is an as has engineering	ssembly with lower responsibility.	
	I.1IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175xForm 7 Distribution				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information								
Supplier Information													
Company name* Company			y unique ID			Unique ID Authority				Response Date*			
onsemi										2025-05-13			
Contact Name Title - Contact			act			Phone - Contact*			Email - Contact*				
Product-Env-Stewards Product Envi			wiro Compliance		NA			Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Repre			presentative			Phone - Representative*			Email ·	Email - Representative*			
Product-Env-Stewards Product Env			Enviro Compliance		NA			Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Item	n Number	Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	FODM6	11	SO5 10MB			2025-05-13		ТНН		97.594	mg	Each	
Manufacturing Proccess Informa	tion												
Terminal Plating / Grid Array M	Terminal Plating / Grid Array Material Terminal Base .		Alloy J	-STD-020 MSL	Rating	Peak Proce	ss Body Tempe	ature Max Time at Peak	. Tempera	ture Numbe	er of Reflow Cy	cles	
Matte Tin (Sn) - annealed CU Alloy			1			260	С	30	seco	nds 3			
Comments													
evel 1 - maximum time at peak temperat	ure during so	ldering is 10-3	0 seconds										
for more information regarding materia	composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed								
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	lhexyl) phthalate (DEHP), Benzyl-butyl								
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of								
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all								
Exemption List Version	EL-2011/534/EU												
Declaration Signature													
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the								
Supplier Digital Signature Ra	stislav Drska	Le											

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Coupling Gel	8.8	mg	Supplier	Titanium Dioxide (TiO2)	13463-67-7		3.96	mg
			Supplier	Dimethyl Cyclosiloxanes	69430-24-6		0.88	mg
			Supplier	Trimethoxy(methyl)silane (C4H12O3Si)	1185-55-3		3.96	mg
Die	0.237	mg	В	Gallium Arsenide (AsGa)	1303-00-0		0.077	mg
			Supplier	Silicon (Si)	7440-21-3		0.16	mg
Die Attach	0.009	mg	Supplier	Silver (Ag)	7440-22-4		0.007	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.002	mg
Lead Frame	17.018	mg	Supplier	Silver (Ag)	7440-22-4		0.0017	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0204	mg
			Supplier	Iron (Fe)	7439-89-6		0.3914	mg
			Supplier	Copper (Cu)	7440-50-8		16.5994	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0051	mg
Mold Compound-Black	70.32	mg	Supplier	2,6-dibromo-4-[1-(3-bromo-4- hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		2.81	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		16.2	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		2.11	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		49.2	mg
Plating	1.16	mg	Supplier	Tin (Sn)	7440-31-5		1.16	mg
Wire Bond - Au	0.05	mg	Supplier	Gold (Au)	7440-57-5		0.05	mg