© Copyright 2005. IPC	© Convright 2005 IPC Bannockhurn Illinois All rights reserved under both				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
	21.1 IPC Web Site for Information on IPC-1752 Standard Form http://www.ipc.org/IPC-175x Distr				e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Material				als and M	ls and Mfg Information			
Supplier Information													
Company name*	Company un	Company unique ID			Unique ID Authority					Response Date*			
onsemi										2025-07-03			
Contact Name Title - Contact			t			Phone - Contact*				Email - Contact*			
Product-Env-Stewards Product E			uct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Rep			Representative			Phone - Representative*			Email - Representative*				
Product-Env-Stewards Product			roduct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Requester Item Number			Number Mfr Item Name			Effective Date	Version	M	Manufacturing Site		Weight*	UOM	Unit Type
	FSA4157	SA4157P6X SPDT Analo		log Switch		2025-07-03		PE	PBB		5.959	mg	Each
Manufacturing Proccess Information	on							<u>i</u>		<u>1</u>			
Terminal Plating / Grid Array Mate	Terminal Plating / Grid Array Material Terminal Base A		Alloy J	-STD-020 MSL	Rating	Peak Proce	ess Body Ter	nperature	Max Time at Peak	Temperat	ure Numb	er of Reflow Cyc	eles
Matte Tin (Sn) - annealed CU Alloy		1			260		С	30	secon	ds 3			
Comments													
level 1 - maximum time at peak temperature	e during sol	dering is 10-3	0 seconds										
or more information regarding material co	mposition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.148	mg	Supplier	Silicon (Si)	7440-21-3		0.148	mg
Die Attach Epoxy	0.037	mg	Supplier	Silver (Ag)	7440-22-4		0.034	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.003	mg
Lead Frame 2	2.25	mg	Supplier	Silver (Ag)	7440-22-4		0.022	mg
			Supplier	Zinc (Zn)	7440-66-6		0.003	mg
			Supplier	Iron (Fe)	7439-89-6		0.054	mg
			Supplier	Copper (Cu)	7440-50-8		2.17	mg
			Supplier	Phosphorus (P)	7723-14-0		0.001	mg
Mold Compound-Black	3.224	mg	Supplier	Zinc borate	1332-07-6		0.1128	mg
			Supplier	Phenol, polymer with 1,4- bis(methoxymethyl)benzene	26834-02-6		0.129	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.3224	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0161	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		2.6437	mg
Plating	0.274	mg	Supplier	Tin (Sn)	7440-31-5		0.274	mg
Wire Bond - Au	0.026	mg	Supplier	Gold (Au)	7440-57-5		0.026	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).