	Material Comp © Copyright 2005. Il international and Par	PC, Bannockb	ourn, Illinois. A	All rights reserved un ntions.	nder both	This docume level parts, t	ent is a declaration	ion of the encompas	substances ses all lowe	within the er level mate	manufacture erials for wh	er listed ite hich the m	em. Note: it anufacturer	f the item is an as has engineering	ssembly with low responsibility.
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					ous Materia	als and Mfg Information				
Supplier	r Information														
Company name* Com				Company unique ID			Unique ID Authority					Response Date*			
onsemi												2025-05-13			
Contact Name			Title - Contact]	Phone - Contact*				Email - Contact*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorize	ed Representative*		Title - Representative]	Phone - Representative*				Email - Representative*				
roduct-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item		Number Mfr Item Name 50AT SPM5 V2 INV 500V 3.80hm				Effective Date	ate Version Manufacturing Site		ing Site	v	Veight*	UOM	Unit Type	
						2025-05-13 CPA			3	214.74	mg	Each			
Ianufa	cturing Proccess Informa	tion													
	Terminal Plating / Grid Array Material		Terminal Base Alloy J-STD-020		-STD-020 MS	L Rating	Peak Process Body Tempera		Temperatu	ure Max Time at Peak Terr		Temperatu	ire Numb	er of Reflow Cyc	cles
Matte Tin (Sn) - annealed		CU Alloy NA			0 C		С	30		second	ls 3				
omments	8														
or more	information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted							
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).									
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the							
Supplier Digital Signature	astislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	20.5	mg	Supplier	Silicon (Si)	7440-21-3		20.5	mg
Die Attach	1.3	mg	Supplier	Silver (Ag)	7440-22-4		0.988	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.312	mg
Die Attach Solder	4.0	mg	Supplier	Silver (Ag)	7440-22-4		0.1	mg
			А	Lead (Pb)	7439-92-1	7a	3.7	mg
			Supplier	Tin (Sn)	7440-31-5		0.2	mg
lead Frame	1351.45	mg	Supplier	Silver (Ag)	7440-22-4		19.7	mg
			Supplier	Iron (Fe)	7439-89-6		1.35	mg
			Supplier	Copper (Cu)	7440-50-8		1329.9956	mg
			Supplier	Phosphorus (P)	7723-14-0		0.4044	mg
Mold Compound-Black	1822.19	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		264.0007	mg
			Supplier	Carbon Black (C)	1333-86-4		8.19	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		1549.9993	mg
Plating	13.8	mg	Supplier	Tin (Sn)	7440-31-5		13.8	mg
Wire Bond - Cu	1.5	mg	Supplier	Palladium (Pd)	7440-05-3		0.03	mg
			Supplier	Copper (Cu)	7440-50-8		1.47	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).