ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES	omposition De 005. IPC, Bannockt 1d Pan-American co	claration ourn, Illinois. <i>A</i> opyright conve	All rights reserved untions.	nder both	This docume level parts, t	ent is a declarati he declaration e	on of the substan	ces within the man wer level materia	nufacturer liste ls for which th	ed item. Note: if e manufacturer	the item is an a has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Ty			Form Type Distribute	 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater 				Materials and	ials and Mfg Information			
upplier Information													
ompany name*	Company unique ID			1	Unique ID Authority				Response Date*				
nsemi									2025-06-07				
Contact Name Title -			Title - Contact			Phone - Contact*			Ema	Email - Contact*			
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA			Prod	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title			Title - Representative			Phone - Representative*			Ema	Email - Representative*			
roduct-Env-Stewards	Product Enviro Compliance				NA			Prod	Product-Env-Stewards@onsemi.com				
Requester Item Number			Number Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	FSBB15	FSBB15CH120DF SPM3V INV		1200V 15A Opt 1		2025-06-07		СРА		15140.977	mg	Each	
Ianufacturing Proccess Info	rmation												
Terminal Plating / Grid Arr	Terminal Plating / Grid Array Material Terminal Bas		Alloy J-STD-020 MSL Ra		L Rating	Peak Process Body Temperature Max Time		at Peak Temp	ak Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed		CU Alloy NA		NA		0 C 30		se	seconds 3				
omments													
or more information regarding ma	terial composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	119.273	mg	Supplier	Silicon (Si)	7440-21-3		119.273	mg
Die Attach	63.1609	mg	Supplier	Silver (Ag)	7440-22-4		3.7897	mg
			Supplier	Tin (Sn)	7440-31-5		58.108	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		1.2632	mg
Die Attach Epoxy	3.1824	mg	Supplier	Poly(oxypropylene)diamine	9046-10-0		0.0955	mg
			Supplier	Silver (Ag)	7440-22-4		2.705	mg
			Supplier	Proprietary	Proprietary Data		0.1591	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.2228	mg
Heat Sink	2416.55	mg	Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		942.4545	mg
			Supplier	Copper (Cu)	7440-50-8		1474.0956	mg
Lead Frame	3026.94	mg	Supplier	Silver (Ag)	7440-22-4		0.0303	mg
			Supplier	Iron (Fe)	7439-89-6		3.0269	mg
			Supplier	Copper (Cu)	7440-50-8		3022.9746	mg
			Supplier	Phosphorus (P)	7723-14-0		0.9081	mg
Mold Compound-Black	9345.94	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		560.7564	mg
			Supplier	Carbon Black (C)	1333-86-4		93.4594	mg
			Supplier	Silica (SiO2)	14464-46-1		8130.9683	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		560.7564	mg
Plating	113.724	mg	Supplier	Tin (Sn)	7440-31-5		113.724	mg
Wire Bond - Al	50.409	mg	Supplier	Aluminum (Al)	7429-90-5		50.409	mg
Wire Bond - Au	1.79769	mg	Supplier	Gold (Au)	7440-57-5		1.7977	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).