ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	ial Composition I ight 2005. IPC, Banno onal and Pan-American	<b>Declaration</b> ckburn, Illinois. A n copyright conver	Il rights reserved u ntions.	under both	This docume level parts, the	ent is a declaration en	n of the substanc compasses all lo	es within the manufa wer level materials fo	cturer listed or which the	item. Note: if manufacturer	the item is an as has engineering	ssembly with low responsibility.	
750-01	IPC Web Site for Information on IPC-1752 Standard Form Type				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				terials and l	als and Mfg Information			
upplier Information													
Company name*			Company unique ID			Unique ID Authority				Response Date*			
nsemi									2025-06-08				
Contact Name Title -			ïtle - Contact			Phone - Contact*				Email - Contact*			
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA			Produ	Product-Env-Stewards@onsemi.com				
Authorized Representative* Ti			Title - Representative			Phone - Representative*			Email	Email - Representative*			
roduct-Env-Stewards	Product Envi	Product Enviro Compliance			NA			Produ	Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr I		m Number Mfr Item Name				Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	ISL9	ISL9V3040P3-F085C EcoSpark1 IGN		-IGBT TO220		2025-06-08	025-06-08 CPA			2030.181	mg	Each	
Ianufacturing Proccess	Information												
Terminal Plating / Grid Array Material Term		Terminal Base	al Base Alloy J-STD-020 MSL		L Rating	Peak Process Body Temperature M		ture Max Time at P	eak Temper	ature Numbe	er of Reflow Cyc	cles	
Matte Tin (Sn) - annealed		CU Alloy	CU Alloy NA			0 C		30	seco	onds 3			
omments													
or more information regardir	ng material compositi	on please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 4 - Item(	s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted					
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).							
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the					
Supplier Digital Signature	astislav Drska	Le								

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	otherwise noted).							
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.81	mg	Supplier	Silicon (Si)	7440-21-3		2.81	mg
Die Attach Solder	1.111	mg	Supplier	Silver (Ag)	7440-22-4		0.0278	mg
			А	Lead (Pb)	7439-92-1	7a	1.0277	mg
			Supplier	Tin (Sn)	7440-31-5		0.0555	mg
Lead Frame	1492.12	mg	В	Nickel (Ni)	7440-02-0		0.173	mg
			Supplier	Iron (Fe)	7439-89-6		1.5	mg
			Supplier	Copper (Cu)	7440-50-8		1489.9982	mg
			Supplier	Phosphorus (P)	7723-14-0		0.4489	mg
Mold Compound-Black	518.4	mg	Supplier	Phenol, polymer with 1,4- bis(methoxymethyl)benzene	26834-02-6		25.92	mg
			Supplier	Proprietary	Proprietary Data		23.328	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		25.92	mg
			Supplier	Carbon Black (C)	1333-86-4		2.592	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		440.64	mg
Plating	13.3	mg	Supplier	Tin (Sn)	7440-31-5		13.3	mg
Wire Bond - Al	2.44	mg	Supplier	Aluminum (Al)	7429-90-5		2.44	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).