© Copyright 2005. IPC, Banr	© Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.							
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mf					lfg Informatio	n		
Supplier Information												
Company name* Company unique ID				Unique ID Authority				Response Date*				
onsemi	ni							2024-09-01				
Contact Name	Name Title - Contact			Phone - Contact*				Email - Contact*				
Product-Env-Stewards	duct-Env-Stewards Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative				Phone - Representative*				Email - Representative*				
Product-Env-Stewards Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr	Item Number	Mfr Item Name		Ei	ffective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
LVS	961HUWR2G	61HUWR2G Automotive Three-p		er 20	)24-09-01		PHG		200.0	mg	Each	
Manufacturing Proccess Information												
Terminal Plating / Grid Array Material	inal Plating / Grid Array Material Terminal Base Alloy J-		-STD-020 MSL Rating	5	Peak Proces	ss Body Temperat	ture Max Time at Peak	Temperat	ture Numbe	r of Reflow Cyc	les	
contains Bi CU Alloy 3				260	С	30	secon	nds 3				
Comments												
ATTENTION: MSL 3 Rated item requires Bake a	nd Dry Pack (after	electrical test)										
for more information regarding material composi	tion please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chror	toHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl hthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	8.49	mg	Supplier	Silicon (Si)	7440-21-3		8.49	mg
Die Attach	0.58	mg	Supplier	Epoxy resins	129915-35-1		0.3335	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		0.2378	mg
			Supplier	Acrylic resins	Proprietary Data		0.0087	mg
Lead Frame	66.72	mg	Supplier	Zinc (Zn)	7440-66-6		0.1268	mg
			Supplier	Iron (Fe)	7439-89-6		1.728	mg
			Supplier	Copper (Cu)	7440-50-8		64.7718	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0934	mg
Mold Compound-Black	120.3	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		9.624	mg
			Supplier	Epoxy Phenol Resin	Proprietary Data		3.3684	mg
			Supplier	Carbon Black (C)	1333-86-4		1.203	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		3.609	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		96.24	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		6.015	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		0.2406	mg
Plating	2.77	mg	В	Bismuth (Bi)	7440-69-9		0.0166	mg
			Supplier	Tin (Sn)	7440-31-5		2.7534	mg
Wire Bond - Au	1.14	mg	Supplier	Gold (Au)	7440-57-5		1.14	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).