| ABSOCIATION CONNECTING<br>ELECTRONICE INDUSTRIES® INCLUSTRIES® INCLUSTRIES® | burn. Illinois. All rights reserved u  | Inder both This do level pa | cument is a declarat<br>rts, the declaration of | ion of the substance<br>encompasses all low   | es within the manufactur<br>wer level materials for wl | er listed item. Note:<br>hich the manufacture | if the item is an a<br>er has engineering | ssembly with lower responsibility. |  |  |
|---|--|-----------------------------|---|---|--|---|---|------------------------------------|--|--|
| IPC Web Site for Information on<br>http://www.ipc.org/IPC-175x              | IPC Web Site for Information on IPC-1752 Standard Form Typ<br>http://www.ipc.org/IPC-175x Distribute |                             |   | Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information |  |   |   |                                    |  |  |
| Supplier Information  |  |                             |   |   |  |   |   |                                    |  |  |
| Company name*   | ty name* Company unique ID   |                             | Unique ID Authority                             |   |  | Response Date*                                |   |                                    |  |  |
| onsemi  |  |                             |   |   |  | 2025-06-06                                    |   |                                    |  |  |
| Contact Name  | Title - Contact  |                             | Phone - Conta                                   | Phone - Contact*  |  |   | Email - Contact*                          |                                    |  |  |
| Product-Env-Stewards  | Product Enviro Compliance  |                             | NA  |   |  | Product-Env-Stewards@onsemi.com               |   |                                    |  |  |
| uthorized Representative* Title - Representative                            |  |                             | Phone - Representative*                         |   |  | Email - Representative*                       |   |                                    |  |  |
| Product-Env-Stewards  | Product Enviro Compliance  | ro Compliance               |   | NA  |  |   | Product-Env-Stewards@onsemi.com           |                                    |  |  |
| Requester Item Number Mfr Item  | Number Mfr Item Name   |                             | Effective Date                                  | Version   | Manufacturing Site                                     | Weight*                                       | UOM                                       | Unit Type                          |  |  |
| MC1001  | LVEL16DR2G BBG ECL RCVR  | DIFRENTIAL                  | 2025-06-06                                      |   | PH1  | 72.0  | mg  | Each                               |  |  |
| Manufacturing Proccess Information  |  |                             |   | ·   |  |   |   |                                    |  |  |
| Terminal Plating / Grid Array Material                                      | Terminal Base Alloy J-STD-020 MS   |                             | Peak Proc                                       | Peak Process Body Temperature Max Time at Pea   |  | k Temperature Number of Reflow Cycles         |   |                                    |  |  |
| Matte Tin (Sn) - annealed CU Alloy 1  |  | 1                           | 260   | С   | 30   | seconds 3                                     |   |                                    |  |  |
| Comments  |  |                             |   |   |  |   |   |                                    |  |  |
| level 1 - maximum time at peak temperature during so                        | ldering is 10-30 seconds   |                             |   |   |  |   |   |                                    |  |  |
| For more information regarding material composition                         | please refer to page 3   |                             |   |   |  |   |   |                                    |  |  |

| RoHS Material Composition Declaration  |   |  |   | Declaration Type *                              | Detailed  |  |  |  |  |  |
|--|---|--|---|---|---|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl by that the (DEHP), Disobutyl phthalate (DIBP). |  |   |   |   |  |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>y others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the  | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and co<br>for issues that arise regarding inform | ce of its products with European Union membe    | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa   | ances per the definitio  | on above  | Supplier Acceptance                             | * Accepted  |  |  |  |  |  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per  | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i   | n the RoHS Declaration above and choose all   |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU  |  |   |   |   |  |  |  |  |  |
| Declaration Signature  |   |  |   |   |   |  |  |  |  |  |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester   | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital | lly sign the declaration (if required by the  |  |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska   | Le   |   |   |   |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| sigma range of distribution unless otherwise noted). |        |                 |          |                            |                  |        |         |                 |
|--|--------|-----------------|----------|----------------------------|------------------|--------|---------|-----------------|
| Homogeneous Material                                 | Weight | Unit of Measure | Level    | Substance                  | CAS              | Exempt | Weight  | Unit of Measure |
| Die  | 1.33   | mg              | Supplier | Silicon (Si)               | 7440-21-3        |        | 1.33    | mg              |
| Die Attach   | 2.4    | mg              | Supplier | Silver (Ag)                | 7440-22-4        |        | 1.8     | mg              |
|  |        |                 | Supplier | Epoxy resins               | 129915-35-1      |        | 0.6     | mg              |
| Lead Frame   | 37.61  | mg              | Supplier | Silver (Ag)                | 7440-22-4        |        | 0.7898  | mg              |
|  |        |                 | Supplier | Zinc (Zn)                  | 7440-66-6        |        | 0.0451  | mg              |
|  |        |                 | Supplier | Iron (Fe)                  | 7439-89-6        |        | 0.8838  | mg              |
|  |        |                 | Supplier | Copper (Cu)                | 7440-50-8        |        | 35.8799 | mg              |
|  |        |                 | Supplier | Phosphorus (P)             | 7723-14-0        |        | 0.0113  | mg              |
| Mold Compound-Black                                  | 28.58  | mg              |          | Epoxy resin                | proprietary data |        | 1.429   | mg              |
|  |        |                 | Supplier | Phenolic Resin             | Proprietary Data |        | 1.429   | mg              |
|  |        |                 | Supplier | Ortho Cresol Novolac Resin | 29690-82-2       |        | 0.5716  | mg              |
|  |        |                 | Supplier | Carbon Black (C)           | 1333-86-4        |        | 0.1429  | mg              |
|  |        |                 | Supplier | Fused Silica (SiO2)        | 60676-86-0       |        | 25.0075 | mg              |
| Plating  | 1.89   | mg              | Supplier | Tin (Sn)                   | 7440-31-5        |        | 1.89    | mg              |
| Wire Bond - Au                                       | 0.19   | mg              | Supplier | Gold (Au)                  | 7440-57-5        |        | 0.19    | mg              |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).