IPC ASSOCIATION ELECTRONICS	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.		nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Typhttp://www.ipc.org/IPC-175x Distribute				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater				Materials and	rials and Mfg Information				
upplier	Information													
Company name* Company unique ID				ique ID	D Unique ID A			ne ID Authority			Response Date*			
ısemi											2024-05-17			
ontact Na	me	Title - Contact			F	Phone - Contact*				Email - Contact*				
roduct-E	nv-Stewards	Product Enviro Compliance			1	NA				Product-Env-Stewards@onsemi.com				
uthorized	Representative*	Title - Repre	Title - Representative			Phone - Representative*			Emai	Email - Representative*				
Product-Env-Stewards Product				uct Enviro Compliance			NA			Prod	Product-Env-Stewards@onsemi.com			
	Requester Item Number	Mfr Iten	n Number	Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	MJE803G BIP C77 NPN 4A		80V FG		2024-05-17 CNG			601.02	mg	Each				
	turing Process Informa		F	A.11	-STD-020 MS	I Dating	De els Dese	D. J. T.	Mar Time	Deal Terror	N	and Define		
	8 · · · · · · · · · · · · · · · · · · ·		Terminal Base Alloy J-STE CU Allov NA			L Kating	Peak Process Body Temperature Max Time at  0 C 30		1.	seconds 3 Number of Reflow Cycles		cies		
-	Matte Tin (Sn) - annealed		OU AHOY	N	NA.		υ		[30	sec	conus 3			
omments														
	nformation regarding materia													

RoHS Material Composition Declaration			Declaration Type *	Detail	led						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substa	ances per the definition above	Supplier Ac	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructional Complete all of the required	fields on all neggs of this form. Calcut th		a duan dawn. This will display the signature on	a Digitally sign	the declaration (if recurined by the						
Instructions: Complete all of the required Requester) and click on Submit Form to			e drop-down. This will display the signature ar	ea. Digitally sign	the declaration (if required by the						

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

<b>Homogeneous Material</b>	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	6.01	mg	Supplier	Silicon (Si)	7440-21-3		6.01	mg
Die Attach	0.29	mg	Supplier	Silver (Ag)	7440-22-4		0.0725	mg
			Supplier	Tin (Sn)	7440-31-5		0.1885	mg
			В	Antimony (Sb)	7440-36-0		0.029	mg
Lead Frame	315.4	mg	Supplier	Zinc (Zn)	7440-66-6		0.3154	mg
			Supplier	Iron (Fe)	7439-89-6		0.3154	mg
			Supplier	Copper (Cu)	7440-50-8		314.7692	mg
Mold Compound-Black	268.29	mg		Epoxy resin	proprietary data		18.7803	mg
			Supplier	Phenolic Resin	Proprietary Data		18.7803	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		40.2435	mg
			Supplier	Carbon Black (C)	1333-86-4		1.3414	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		189.1445	mg
Plating	8.02	mg	Supplier	Tin (Sn)	7440-31-5		8.02	mg
Wire Bond - Al	3.01	mg	Supplier	Aluminum (Al)	7429-90-5		3.01	mg