ASSOCIATION CONNECTING	© Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.											
1752-21.1	IPC Web Site for Information on IPC-1752 StandardForm Typehttp://www.ipc.org/IPC-175xDistribute				9*	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and M	als and Mfg Information				
Supplier Informa	ation															
Company name*			Company unique ID				Unique ID Authority					Respons	Response Date*			
onsemi													2024-05-04			
Contact Name	Title - Contact				Phone - Contact*					Email -	Email - Contact*					
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative]	Phone - Representative*					Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Requester	Requester Item Number Mfr Iten		Number Mfr Item Name				Effective D	Date V	ersion	Ma	Manufacturing Site		Weight*	τ	UOM	Unit Type
	MM74HCT54		CT541MTC	C OCTAL TRI-STATE BUFFER			2024-05-04	4		PH	PH1		59.28	I	ng	Each
Manufacturing P	Proccess Information	1					·									
Terminal Plating / Grid Array Material		al T	erminal Base A	minal Base Alloy J-STD-020 M		L Rating	Peak Proce		ss Body Temperature Max Time at Peal		Temperature Numbe		mber of	Reflow Cycles	5	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			U Alloy 1		1		260		C	30		secon	seconds 3			
Comments																
evel 1 - maximum tin	ne at peak temperature d	luring sol	dering is 10-3	0 seconds												
or more information	n regarding material com	position	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth					
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted				
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all				
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature Ra	stislav Drska	Le							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.29	mg	Supplier	Silicon (Si)	7440-21-3		0.29	mg	
Die Attach	2.46	mg		Epoxy resin	proprietary data		0.246	mg	
			Supplier	Silver (Ag)	7440-22-4		1.968	mg	
			Supplier	Formaldehyde Polymer	9003-36-5		0.246	mg	
Lead Frame	38.58	mg	Supplier	Iron (Fe)	7439-89-6		0.733	mg	
			Supplier	Copper (Cu)	7440-50-8		37.847	mg	
Mold Compound-Black	24.35	mg		Epoxy resin	proprietary data		1.2175	mg	
			Supplier	Phenol Resin	Proprietary Data		0.974	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		2.435	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.2435	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		19.48	mg	
Plating	3.44	mg	Supplier	Palladium (Pd)	7440-05-3		0.2614	mg	
			В	Nickel (Ni)	7440-02-0		3.1304	mg	
			Supplier	Gold (Au)	7440-57-5		0.0482	mg	
Wire Bond - Cu	0.16	mg	Supplier	Copper (Cu)	7440-50-8		0.16	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).